Author Index to Volume 78

References with (A) are to abstracts of papers presented at meetings of the American Physical Society, and those with (T) designate title only. References with (L) are to Letters to the Editor.

Aamodt, Lee (see Panofsky, Wolfgang, K. H.)—825(L)
——, Vincent Peterson, and Robert Phillips. Production of C^{11} by high energy particles—87(A)
Adams, G. D. (see Kerst, D. W.)—297(L)
Adelman, Frank L. Observations on tracks in electron sensitive emulsions—86(A)
Alburger, David E. Beta-ray spectrum of K^{40}—629(L)
—— (see Sunyar, A. W.)—326(A)
——, D. J. Hughes, and C. Eggler. β-spectrum of Be^{10}—318(A)
Alfrey, T. (see Mark, H.)—315(T)
Alfvén, H. and N. Herlofson. Cosmic radiation and radio stars—616(L)
Allen, R. C. and Waldo Rall. Energy levels of the F^{20} nucleus from the $F^{19}(d,p)F^{20}$ reaction—337(A)
Allison, H. W. and George E. Moore. Use of radioactive Sr in some thermionic experiments on thin films—354(A)
Alpert, D. (see McCoubrey, A. O.)—315(T)
Anderson, C. D. (see Seriff, A. J.)—290
Anderson, C. E. (see Manning, Thurston E.)—417
—— (see Watson, W. W.)—343(A)
Anderson, P. W. Simple model for ferroelectricity—341(A)
—— Theory of antiferromagnetism—638(T)
Andrews, C. L. Diffraction pattern in the plane of a circular aperture—344(A)
Andrews, F. A., D. A. Spohr, and R. T. Webber. Thermal conductivity of copper and tin at liquid helium temperatures—342(A)
Andrews, R. D., F. H. Holmes, and A. V. Tobolsky. Elastoviscous properties of polyisobutylene. III. Relaxation of stress in whole and fractionated polymers; effect of carbon black—357(T)
Apker, Leroy. Photoelectric techniques in the study of ionic semiconductors—352(T)
Arfken, G. B. (see Breit, G.)—390
Argo, H. V., H. T. Gittings, A. Hemmendinger, G. A. Jarvis, and R. F. Taschek. Properties of the $T^3(p,\gamma)He^4$ reaction—691
Arons, A. B. Pressure at which a rarefaction wave initiates cavitation in sea water—333(A)
Autler, S. H. and C. H. Townes. Resonant modulation, a new technique in radio spectroscopy—340(A)
Averbach, B. L. and B. E. Warren. Cold work and particle size broadening in x-ray diffraction lines—644(A)
Avery, R. (see Blanchard, C. H.)—292(L)
—— **and C. H. Blanchard.** Low states of Li^7—704
Axel, Peter. Isomeric transitions in nuclei—638(T)

Baez, Albert V. and Paul Kirkpatrick. Design and construction of an x-ray microscope—83(A)
Bailey, V. A. Growth of circularly polarized waves in the sun's atmosphere and their escape into space—428
Bailin, Louis L. (see Saxon, David S.)—327(A)
Baker, W. B. (see Whitmore, B. G.)—799
Baker, W. R. (see Kerns, Q. A.)—85(A)
Baldwin, G. C. and F. R. Elder. Neutron production in various substances by 50-Mev x-rays—76(L)
Bandel, H. W. Point-to-plane corona studies in dried air—91(A)
Baños, Alfredo, Jr. (see Saxon, David S.)—327(A)
—— **and William B. McLean.** Theory of the no load characteristics of saturable reactors with hysteresis, I—92(A)
Barber, W. C. Coincidence studies on the decay of Hf^{181}—82(A)
—— Excited state of Ta^{181} with 1.1×10^{-8}-second lifetime—641(A)
Barbour, Ian. Magnetic deflection of cosmic-ray mesons using nuclear plates—319(A), 518
Bardeen, J. Energy bands and electron mobilities in non-polar crystals—315(T)
Barkas, Walter H. Non-equilibrium cyclotron orbits—90(A)
—— (see Smith, F. M.)—86(A)
Baron, M. L. and A. de Bretteville, Jr. Combination two-circle goniometer and x-ray spectrometer—344(A)
Baroody, E. M. Theory of secondary electron emission from metals—780
Barrett, C. S. and D. F. Clifton. Transformation characteristics of a lithium-magnesium alloy—639(A)
Bartholomew, G. A. (see Kinsey, B. B.)—77(L), 481(L)
Bartnoff, Shepard, Charles R. Mingins, and Joseph F. Clayton. Vibrations of a circular crystalline plate—316(A)
Bates, D. R. Dissociative recombination—492(L)
Bateson, W. O. Proton groups from the deuteron bombardment of boron—337(A)
Beams, J. W. Magnetic suspension balance—471(L)
Becker, M. (see Fan, H. Y.)—178(L), 335(A)
—— (see Lark-Horovitz, K.)—334(A)
—— **and H. Y. Fan.** Photovoltaic effect of *P-N* junctions in germanium—301(L)
Bederson, B. (see Fisher, L. H.)—331(A)
—— **and L. H. Fisher.** Interpretation of formative time lags of spark breakdown in air at low overvoltages—331(A)
Beeman, W. W. (see Kaesberg, Paul)—336(A)
——, Paul Kaesberg, and H. N. Ritland. Shapes and hydrations of several protein molecules in solution—336(A)
Beenakker, J. J. M. (see Taconis, K. W.)—171(L)
Belinfante, Frederik J. Quantum-electrodynamics—642(A)
——**and J. S. Lomont.** Quantization of Wheeler-Feynman's electrodynamics—346(A)
Bell, P. R. Measurement of forbidden beta-spectra with the scintillation spectrometer—638(T)
Bell, R. E. and R. L. Graham. Measurement of a second half-life in Yb^{170}—490(L)
Béné, G. J., P. M. Denis, and R. C. Extermann. Nuclear magnetic moments of the gallium isotopes—66(L)
Benfield, A. E. Temperature in an accreting planet—334(A)
Bennett, W. E. (see Bradford, C. E.)—302(L)
Bennett, Willard H. Non-magnetic radiofrequency mass spectrometer—332(A)
Bergmann, Peter G. (see Heller, Jack)—329(A)
——, Robert Penfield, Ralph Schiller, and Henry Zatzkis. Hamiltonian of Einstein's theory of gravitation with electromagnetic field—329(A)
Beringer, Robert and J. G. Castle, Jr. Magnetic resonance absorption in nitric oxide—567
—— **and J. G. Castle, Jr.** Microwave magnetic resonance spectra of NO—340(A)
Berlin, T. H. and L. Madansky. On the detection of γ-ray polarization by pair production—623(L)
Bernardini, G. Neutron evaporations produced by cosmic rays—314(T)
Bernstein, R. B. and Daniel Cubicciotti. Hydrogen permeability of zirconium—639(A)
Berry, Chester R. and Robert L. Griffith. Structure and growth mechanism of photolytic silver in silver bromide—317(A)
Berry, Clifford E. Effects of initial energies on mass spectra—597
Bethe, H. A. (see Levinger, J. S.)—115

Author Index to Volume 78

References with (A) are to abstracts of papers presented at meetings of the American Physical Society, and those with (T) designate title only. References with (L) are to Letters to the Editor.

Aamodt, Lee (see Panofsky, Wolfgang, K. H.)—825(L)
——, Vincent Peterson, and Robert Phillips. Production of C^{11} by high energy particles—87(A)
Adams, G. D. (see Kerst, D. W.)—297(L)
Adelman, Frank L. Observations on tracks in electron sensitive emulsions—86(A)
Alburger, David E. Beta-ray spectrum of K^{40}—629(L)
—— (see Sunyar, A. W.)—326(A)
——, D. J. Hughes, and C. Eggler. β-spectrum of Be^{10}—318(A)
Alfrey, T. (see Mark, H.)—315(T)
Alfvén, H. and N. Herlofson. Cosmic radiation and radio stars—616(L)
Allen, R. C. and Waldo Rall. Energy levels of the F^{20} nucleus from the $F^{19}(d,p)F^{20}$ reaction—337(A)
Allison, H. W. and George E. Moore. Use of radioactive Sr in some thermionic experiments on thin films—354(A)
Alpert, D. (see McCoubrey, A. O.)—315(T)
Anderson, C. D. (see Seriff, A. J.)—290
Anderson, C. E. (see Manning, Thurston E.)—417
—— (see Watson, W. W.)—343(A)
Anderson, P. W. Simple model for ferroelectricity—341(A)
—— Theory of antiferromagnetism—638(T)
Andrews, C. L. Diffraction pattern in the plane of a circular aperture—344(A)
Andrews, F. A., D. A. Spohr, and R. T. Webber. Thermal conductivity of copper and tin at liquid helium temperatures—342(A)
Andrews, R. D., F. H. Holmes, and A. V. Tobolsky. Elastoviscous properties of polyisobutylene. III. Relaxation of stress in whole and fractionated polymers; effect of carbon black—357(T)
Apker, Leroy. Photoelectric techniques in the study of ionic semiconductors—352(T)
Arfken, G. B. (see Breit, G.)—390
Argo, H. V., H. T. Gittings, A. Hemmendinger, G. A. Jarvis, and R. F. Taschek. Properties of the $T^3(p,\gamma)He^4$ reaction—691
Arons, A. B. Pressure at which a rarefaction wave initiates cavitation in sea water—333(A)
Autler, S. H. and C. H. Townes. Resonant modulation, a new technique in radio spectroscopy—340(A)
Averbach, B. L. and B. E. Warren. Cold work and particle size broadening in x-ray diffraction lines—644(A)
Avery, R. (see Blanchard, C. H.)—292(L)
—— **and C. H. Blanchard.** Low states of Li^7—704
Axel, Peter. Isomeric transitions in nuclei—638(T)

Baez, Albert V. and Paul Kirkpatrick. Design and construction of an x-ray microscope—83(A)
Bailey, V. A. Growth of circularly polarized waves in the sun's atmosphere and their escape into space—428
Bailin, Louis L. (see Saxon, David S.)—327(A)
Baker, W. B. (see Whitmore, B. G.)—799
Baker, W. R. (see Kerns, Q. A.)—85(A)
Baldwin, G. C. and F. R. Elder. Neutron production in various substances by 50-Mev x-rays—76(L)
Bandel, H. W. Point-to-plane corona studies in dried air—91(A)
Baños, Alfredo, Jr. (see Saxon, David S.)—327(A)
—— **and William B. McLean.** Theory of the no load characteristics of saturable reactors with hysteresis, I—92(A)
Barber, W. C. Coincidence studies on the decay of Hf^{181}—82(A)
—— Excited state of Ta^{181} with 1.1×10^{-8}-second lifetime—641(A)
Barbour, Ian. Magnetic deflection of cosmic-ray mesons using nuclear plates—319(A), 518
Bardeen, J. Energy bands and electron mobilities in non-polar crystals—315(T)
Barkas, Walter H. Non-equilibrium cyclotron orbits—90(A)
—— (see Smith, F. M.)—86(A)
Baron, M. L. and A. de Bretteville, Jr. Combination two-circle goniometer and x-ray spectrometer—344(A)
Baroody, E. M. Theory of secondary electron emission from metals—780
Barrett, C. S. and D. F. Clifton. Transformation characteristics of a lithium-magnesium alloy—639(A)
Bartholomew, G. A. (see Kinsey, B. B.)—77(L), 481(L)
Bartnoff, Shepard, Charles R. Mingins, and Joseph F. Clayton. Vibrations of a circular crystalline plate—316(A)
Bates, D. R. Dissociative recombination—492(L)
Bateson, W. O. Proton groups from the deuteron bombardment of boron—337(A)
Beams, J. W. Magnetic suspension balance—471(L)
Becker, M. (see Fan, H. Y.)—178(L), 335(A)
—— (see Lark-Horovitz, K.)—334(A)
—— **and H. Y. Fan.** Photovoltaic effect of *P-N* junctions in germanium—301(L)
Bederson, B. (see Fisher, L. H.)—331(A)
—— **and L. H. Fisher.** Interpretation of formative time lags of spark breakdown in air at low overvoltages—331(A)
Beeman, W. W. (see Kaesberg, Paul)—336(A)
——, Paul Kaesberg, and H. N. Ritland. Shapes and hydrations of several protein molecules in solution—336(A)
Beenakker, J. J. M. (see Taconis, K. W.)—171(L)
Belinfante, Frederik J. Quantum-electrodynamics—642(A)
——**and J. S. Lomont.** Quantization of Wheeler-Feynman's electrodynamics—346(A)
Bell, P. R. Measurement of forbidden beta-spectra with the scintillation spectrometer—638(T)
Bell, R. E. and R. L. Graham. Measurement of a second half-life in Yb^{170}—490(L)
Béné, G. J., P. M. Denis, and R. C. Extermann. Nuclear magnetic moments of the gallium isotopes—66(L)
Benfield, A. E. Temperature in an accreting planet—334(A)
Bennett, W. E. (see Bradford, C. E.)—302(L)
Bennett, Willard H. Non-magnetic radiofrequency mass spectrometer—332(A)
Bergmann, Peter G. (see Heller, Jack)—329(A)
——, Robert Penfield, Ralph Schiller, and Henry Zatzkis. Hamiltonian of Einstein's theory of gravitation with electromagnetic field—329(A)
Beringer, Robert and J. G. Castle, Jr. Magnetic resonance absorption in nitric oxide—567
—— **and J. G. Castle, Jr.** Microwave magnetic resonance spectra of NO—340(A)
Berlin, T. H. and L. Madansky. On the detection of γ-ray polarization by pair production—623(L)
Bernardini, G. Neutron evaporations produced by cosmic rays—314(T)
Bernstein, R. B. and Daniel Cubicciotti. Hydrogen permeability of zirconium—639(A)
Berry, Chester R. and Robert L. Griffith. Structure and growth mechanism of photolytic silver in silver bromide—317(A)
Berry, Clifford E. Effects of initial energies on mass spectra—597
Bethe, H. A. (see Levinger, J. S.)—115

Bickford, L. R., Jr. Ferromagnetic resonance absorption in magnetite single crystals—449
—— Magnetic resonance abosrption in magnetite at low temperatures—342(A)
Biedenharn, L. and J. M. Blatt. Some calculations concerning neutron-proton scattering with tensor forces—322(A)
Biehl, A. T. and H. V. Neher. Latitude and longitude effects in cosmic rays over the United States and Canada at 30,000 feet—172(L)
Binder, Daniel. Delayed coincidence measurement of $Hg^{203,205}$—325(A)
Bishop, A. S. (see Smith, F. M.)—86(A)
—— (see Steinberger, J.)—319(A), 493(L), 494(L)
Blair, K. W. (see Burson, S. B.)—89(A)
Blanchard, C. H. (see Avery, R.)—704
——, **R. Avery, and R. G. Sachs.** Velocity dependent nuclear interactions—292(L)
Blatt, J. M. (see Biedenharn, L.)—322(A)
Blau, Marietta (see Rudin, Robert)—319(A)
——, **John Nafe, and Herbert Bramson.** Dependence of high altitude star and meson production rates on absorbers—320(A)
Bleakney, Walker (see Fletcher, C. H.)—634(L)
Bleaney, B. Nuclear specific heats in paramagnetic salts—214
Bloch, F. and R. K. Wangsness. Differential equations of nuclear induction—82(A)
Blocker, Wade and Robert W. Kenney. Showers initiated by 335-Mev bremsstrahlung—87(A)
Bloembergen, N. Nuclear relaxation in solids—638(T)
—— On the ferromagnetic resonance in nickel and supermalloy—578
Boehmer, Howard W. (see Broxon, James W.)—411
Bogle, R. W. Noise spectra from vacuum tubes at ultra low frequencies—354(A)
Bohm, D., M. Weinstein, and H. Kouts. Covariant description of extended charges—346(A)
Bohr, N. and L. Rosenfeld. Field and charge measurements in quantum electrodynamics—794
Bolef, D. (see Zeiger, H.)—340(A)
Bond, W. L. Technique of cutting germanium filaments—646(A)
——, **W. P. Mason, H. J. McSkimin, K. M. Olsen, and G. K. Teal.** Elastic constants of germanium single crystals—176(L)
Bondelid, R. O. (see Mather, K. B.)—292(L)
Boorse, H. A. (see Cook, D. B.)—343(A), 820(L)
——, **D. B. Cook, and M. W. Zemansky.** Superconductivity of lead—635(L)
Borowitz, S., W. Kohn, and J. Schwinger. On the self-stress of the electron—345(A)
Borst, L. B. Supernovae—807(L)
Bostick, W. H. Effective reduction of scattering of electron beams in tissue by means of a magnetic field—327(A)
Bowker, J. Kent. Observations on grain counting and the photographic emulsion—87(A)
Bowles, J. S. Crystallographic mechanism of the martensite transformation in iron-carbon alloys—639(A)
Boyer, Keith. Energy spectrum of protons from (d,p) reactions—345(A)
—— (see Livingston, M. S.)—344(A)
Boyer, R. F. Random noise in dielectric materials—357(T)
Bradford, C. E. and W. E. Bennett. Neutron groups from $Be^{9}(\alpha,n)C^{12}$—302(L)
Bradner, Hugh (see Smith, F. M.)—86(A)
—— **and S. B. Jones.** Ratio of positive to negative π-meson yields from various targets bombarded by 345 Mev protons—90(A)
Bradt, H. L. (see Kaplon, M. F.)—68(L), 680
Brady, E. L. and M. Deutsch. Angular correlation of successive gamma rays—558
Bragg, J. K. (see Goldstein, J. H.)—347(A)
Bramson, Herbert (see Blau, Marietta)—320(A)
Branscomb, Lewis M. Abnormally low molecular rotation and upper atmosphere temperatures—333(A)
Branyan, C. E. (see Cork, J. M.)—299(L), 304(L)
Brattain, W. H. and G. L. Pearson. Changes in conductivity of germanium induced by alpha-particle bombardment—646(A)
Breckenridge, Robert G. (see Cook, Richard K.)—315(A)
—— **and A. L. Ward.** Anelastic effects in ionic crystals—315(A)
Breit, G. Schmidt model and odd-even staggering of the isotopic shift—470(L)
——, **G. B. Arfken, and W. W. Clendenin.** Spectroscopic isotope shift and nuclear polarization—390
—— **and R. D. Hatcher.** Analysis of proton-proton scattering by means of the f-function—110
Briggs, Thomas H. Determination of oxide cathode performance in diode tubes through figures of merit—356(A)
Brillouin, L. Can the rectifier become a thermodynamical demon?—627(L)
Brobeck, W. M. (see Lofgren, E. J.)—85(A)
—— (see Sewell, D. C.)—85(A)
Brode, R. B. Ratio of positive to negative particles in the cosmic radiation at 3650 meters elevation—92(A)
—— (see Merkle, T. C., Jr.)—92(A)
Brophy, James J. Secondary emission of electrons at oblique angles of incidence—643(A)
Brown, A. B., C. Y. Chao, W. A. Fowler, and C. C. Lauritsen. Excited states of the mirror nuclei Be^{7} and Li^{7}—88(A)
Brown, Frederick C. and J. C. Street. Investigation of cosmic-ray stars and slow protons with a silver chloride crystal—320(A)
Brown, Harold (see Perez-Mendez, Victor)—317(A), 812(L)
—— **and Victor Perez-Mendez.** Beta-spectra of gaseous A^{41} and O^{15}—649
—— **and V. Perez-Mendez.** Beta-spectrum of Ne^{23}—812(L)
Brown, L. J. (see Ogle, W. E.)—63(L)
Brown, Richard M. Nuclear magnetic resonance in weak fields—530
Brown, W. W. and A. S. McKay. Erratum: a cloud-chamber study of cosmic-ray nuclear interactions at 3260 meters elevation—67(L)
Browning, George V. (see Ferry, John D.)—359(A)
Broxon, James W. and Howard W. Boehmer. Cosmic-ray intensity following a solar flare—411
Brueckner, Keith A. Production of mesons by x-rays, part III: theory—84(A)
—— **and K. M. Watson.** Proton-proton scattering in charged scalar theory—495(L)
Bube, Richard H. Trapping in zinc-sulfide-type phosphors—349(A)
Buchdahl, Rolf (see Nielsen, Lawrence E.)—359(A)
——, **L. E. Nielsen, and R. E. Pollard.** Transition phenomenon of polymeric substances—359(A)
Buckingham, R. A. and H. N. V. Temperley. Viscosity of liquid He^{3}—482(L)
Buechner, W. W. (see Malm, R.)—337(A)
—— (see Strait, E. N.)—337(A)
Bullock, M. Loren (see McMinn, William O.)—296(L)
Burg, Anton B. (see Gordy, Walter)—512
Burns, G. Preston. Efficiency of the thermoelectric process—327(A)
Burson, S. B. and K. W. Blair. Proposed decay scheme for $_{72}Hf^{181}$ (46 day, 5.7 hour)—89(A)
Burstein, E. and John J. Oberly. Infra-red properties of diamond, silicon, and germanium—642(A)
—— **and J. J. Oberly.** Optical band width of F centers at liquid helium temperatures—349(A)

Burte, Harris M. Non-destructive mechanical test for wool fibers and some preliminary results—357(A)
Burton, J. A., H. E. Kern, and R. T. Lynch. Thermionic properties of dense oxide cathodes—355(A)
Busala, A. (see Talbott, F. L.)—336(A)
Bushkovitch, A. V. (see Rouse, A. G.)—347(A)
Butler, J. W. (see Whaling, Ward)—72(L)

Caldwell, Richard L. Internal conversion electrons of several short-lived neutron indiced radioactivities—407
Cameron, A. G. W. (see Millar, C. H.)—78(L)
—— **and C. H. Miller.** Evidence for the reactions $N^{14}(\gamma,\alpha)B^{10}$ and $O^{16}(\gamma,\alpha)C^{12}$—337(A)
Campbell, Edward C. and Max Goodrich. Scintillation spectra of short-life activities—640(A)
Carlson, R. O. (see Lee, C. A.)—340(A)
Carr, E. F. and C. Kikuchi. Angular dependence of crystalline nuclear resonance absorption—470(L)
Carson, A. N. (see Ogle, W. E.)—63(L)
Cartwright, W. F., C. Richman, M. N. Whitehead, and H. A. Wilcox. Production of π^+ mesons by protons on protons in the direction of the beam—823(L)
Caspari, M. E. Electro-mechanical coupling of $BaTiO^3$ single-domain crystals—341(A)
Castle, J. G., Jr. (see Beringer, Robert)—340(A), 567
Chamberlain, O. (see Wiegand, C.)—326(A)
Chambers, William H. (see Sheriff, Robert E.)—476(L)
——, **Robert E. Sheriff, and Dudley Williams.** Gyromagnetic ratios of vanadium^{51} and manganese^{55}—640(A)
——, **Robert E. Sheriff, and Dudley Williams.** Nuclear magnetic moment of praseodymium^{141}—482(L)
Chang, Chia-hua (see Cook, C. Sharp)—171(L)
Chang, T. S. Quantum mechanics of localizable dynamical systems—592
Chao, C. Y. (see Brown, A. B.)—88(A)
——, **A. V. Tollestrup, W. A. Fowler, and C. C. Lauritsen.** Low energy α-particles from $F^{19}(p\alpha)O^{16}$—88(A)
Chapman, Robert M. (see Shaw, J. H.)—497(L)
—— **and J. H. Shaw.** Fine structure of HDO near 3.7μ in the solar spectrum—71(L)
——, **John H. Shaw, and Dudley Williams.** High dispersion studies of the solar spectrum—333(A)
Charpie, R. A. (see Sun, Kuan-Han)—338(A)
Cheng, Lin-Sheng and J. D. Kurbatov. Disintegration of cesium 131 and metastable state of xenon 131—319(A)
Cheston, W. B. and L. J. B. Goldfarb. Disintegration of nuclei by π^--mesons—320(A), 683
Chew, Geoffrey F. (see Taylor, T. B.)—86(A)
—— **and Jack L. Steinberger.** Positive-negative ratio for π-mesons produced in complex nuclei—86(A)
—— **and Jack L. Steinberger.** Positive-negative ratio of π-mesons produced singly in collisions of nucleons with complex nuclei—497(L)
Chodorow, Marvin. Stanford University microwave laboratory —82(T)
Christian, Richard S. High energy scattering—theoretical—89(A)
Clarke, Edward N. (see Kelly, Edward)—316(A)
Clayton, Joseph F. (see Bartnoff, Shepard)—316(A)
Cleland, J. W., K. Lark-Horovitz, and J. C. Pigg. Germanium semiconductor alloys produced by transmutation—645(A)
——, **K. Lark-Horovitz, and J. C. Pigg.** Transmutation-produced permanium semiconductors—814(L)
Clendenin, W. W. (see Breit, G.)—390
Clifton, D. F. (see Barrett, C. S.)—639(A)
Coester, F. and J. M. Jauch. On the role of the subsidiary condition in quantum electrodynamics—149; Erratum—828(L)
Cohen, B. L., C. E. Falk, and S. K. Kao. Neutron energy spectra—639(A)
Cohen, E. Richard and M. A. Greenfield. Two group equations for the diffusion of neutrons in a multiplying medium—639(A)
Cohn, Ruth A. and J. D. Kurbatov. Disintegration of zinc 65 by positron emission—318(A)
Coleman, J. S. (see Lindner, M.)—67(L)
Coleman, R. P. Random-circuit theory of resistance and noise in a composition resistor—644(A)
Collins, C. B. (see Macnamara, J.)—129
Conant, F. S., G. L. Hall, and W. James Lyons. Equivalent effects of time and temperature in the shear creep and recovery of elastomers—357(A)
Conrad, Carl M. (see Segal, Leon)—358(A)
Cook, C. Sharp (see Owen, George E.)—686
—— **and Chia-hua Chang.** On the determination of the relative positron activity of Cu^{64} in a source of Cu^{61}—171(L)
Cook, D. B. (see Boorse, H. A.)—635(L)
——, **H. A. Boorse, and M. W. Zemansky.** Superconducting temperature of lead—343(A)
——, **M. W. Zemansky, and H. A. Boorse.** Superconductivity of columbium—820(L)
Cook, Richard K. and Robert G. Breckenridge. Anelasticity of quartz crystals—315(A)
Copeland, Paul L. (see Eggenberger, Delbert N.)—643(A)
Corak, W. S. (see Wexler, Aaron)—260
Corben, H. C. Accelerated and rotating coordinate systems—329(A)
Corey, Victor B. (see Green, James H., Jr.)—328(A)
Cork, J. M., C. E. Branyan, W. C. Rutledge, A. E. Stoddard, and J. M. LeBlanc. Gamma-rays from terbium 160—304(L)
——, **H. B. Keller, W. C. Rutledge, and A. E. Stoddard.** Reinterpretation of the electron spectra of radioactive ytterbium and tantalum—95
——, **A. E. Stoddard, W. C. Rutledge, C. E. Branyan, and J. LeBlanc.** Radioactivity in hafnium—299(L)
Cowan, E. W. (see Seriff, A. J.)—290
Crandall, W. E., B. J. Moyer, and H. F. York. High energy photons from proton nucleon collision—89(A)
Crawford, J. H., Jr. and K. Lark-Horovitz. Fast neutron bombardment effects in germanium—645(A), 815(L)
Crawford, M. F. (see Hume, J. N. P.)—343(A)
Creely, Joseph J. (see Segal, Leon)—358(A)
Creutz, E. (see Foss, M. H.)—641(A)
Crittenden, E. C., Jr. (see Hoffman, R. W.)—349(A)
—— **and R. W. Hoffman.** Relation of stress and rupture in evaporated metal films to distortion decay—349(A)
Croning, Leo J. Notes on thoria and other refractory materials —352(A)
Cross, W. G. Causes of abnormal efficiencies in scintillation counters—185(L)
Crossley, Walter (see Jacobs, Harold)—356(A)
Crowell, Albert D. and H. E. Farnsworth. Measurements of gas adsorption on metals using a radioactive tracer method —351(A)
Cubicciotti, Daniel (see Bernstein, R. B.)—639(A)
Curtis, C. W. First spark spectrum of manganese—343(A)
Curtiss, L. F. (see Feister, I.)—179(L)

Dailey, B. P. (see Minden, H. T.)—347(A)
—— (see Shulman, R. G.)—145
—— (see Townes, C. H.)—346(A)
Dale, E. B., E. L. Zimmerman, D. G. Thomas, and J. D. Kurbatov. Gamma-spectrum of barium 131—640(A)
Dancoff, S. M. Non-adiabatic meson theory of nuclear forces —382
Dandurand, P. and R. B. Holt. Electron density and spectroscopic measurements in metal vapor afterglows—331(A)

Danforth, W. E. Thoria as a cathode emitter—352(T)
—— **and F. H. Morgan.** Electrical conductivity of sintered thoria—353(A)
Dannis, M. L. Fundamental studies of plasticization of PVC—358(A).
Dart, Francis E. Evaporation of zinc and zinc oxide under electron bombardment—761
Daunt, J. G. and C. V. Heer. Lambda-points of solutions of He^3 in He^4 below 1°K—342(A)
Davis, Leverett, Jr. Polarization of starlight—84(A)
Davis, R. E. (see Lark-Horovitz, K.)—334(A)
De Benedetti, S. (see McGowan, F. K.)—638(T)
de Bretteville, A., Jr. (see Baron, M. L.)—344(A)
—— **and G. Katz.** Preliminary results with macrocrystals of ferroelectric barium titanate—340(A)
de Carvalho, Hervasio G. Range of α-particles in water and ice—330(A)
—— (see Yagoda, Herman)—765
de Hoffmann, Frederic. Neutron-deuteron scattering at high energies—216
Dekker, A. J. and A. H. Morrish. Investigation of color centers by a single-photon counting method—301(L)
de Klerk, D., M. J. Steenland, and C. J. Gorter. Thermodynamic temperature of 1.5 millidegrees absolute—476(L)
de Launay, Jules (see Dolecek, R. L.)—58
Demers, Pierre. Cosmic-ray phenomena in extremely thick emulsions—320(A)
Denis, P. M. (see Béné, G. J.)—66(L)
der Mateosian, E. (see Scharff-Goldhaber, Gertrude)—325(A)
—— **and M. Goldhaber.** Photo-neutron production—326(A)
Deutsch, Martin (see Brady, E. L.)—558
—— (see Livingston, M. S.)—344(A)
—— (see Metzger, Franz)—551
—— (see Stevenson, Donald T.)—640(A)
DeWitt, J. H., Jr. and C. K. Seyfert. Notes on the 1P21 photomultiplier tube when used for astronomical photometry—643(A)
Dibeler, Vernon H. (see Reese, Robert M.)—332(A)
Dickey, J. E. (see Taft, E. A.)—625(L)
Dickinson, W. C. Factors influencing the positions of nuclear magnetic resonances—339(A)
di Francia, G. Toraldo. Variational principle for the computation of reflection coefficients—298(L)
Dodd, Edward E. Short method for evaluation of the Townsend integral for electron avalanche formation—620(L)
—— (see Loeb, L. B.)—91(A)
Dokoupil, Z. (see Taconis, K. W.)—171(L)
Dolecek, R. L. and Jules de Launay. Conservation of flux by a superconducting torus—58
Domenicali, C. A. Magnetic and electric properties of natural and synthetic single crystals of magnetite—458
Donovan, Russell A. (see McMath, Robert R.)—65(L)
Driscoll, R. L. (see Thomas, H. A.)—787
——, **H. A. Thomas, and J. A. Hipple.** Absolute value of the gyromagnetic ratio of the proton—339(A)
Duckworth, Henry E. and Howard A. Johnson. Masses of Cr^{50}, Cr^{52}, and Fe^{54}—179(L)
—— **and Howard A. Johnson.** Packing fractions of Fe^{56}, Ni^{58}, and Ni^{60}—330(A)
——, **Howard A. Johnson, Richard S. Preston, and Richard F. Woodcock.** Some new mass comparisons involving Si, Fe, Ni, Cu, Zn, W, and Pt—386
——, **Karl S. Woodcock, and Richard S. Preston.** Masses of Pd^{104}, Pd^{108}, Pt^{195}, and Cu^{65}—479(L)
DuMond, J. W. M. (see Lind, D. A.)—474(L)
Dunlap, W. C., Jr. (see Jacobi, G. T.)—349(A)
du Pré, F. K. Suggestion regarding the spectral density of flicker noise—615(L)
——, **R. A. Hutner, and E. S. Rittner.** On the interpretation of conduction and thermionic emission of (Ba-Sr)O cathodes—355(A), 573
du Toit, Stefaan J. (see Slätis, Hilding)—498(L)
Dwight, Kirby. Solar magnetic moment and diurnal variation in intensity of cosmic radiation—40
—— (see Stix, T.)—324(A)
—— (see Winckler, J. R.)—324(A)
——, **R. Sabin, T. Stix, and J. R. Winckler.** Directional and latitude survey of cosmic rays at 95,000 feet. II. Interpretation of vertical flux data—324(A)

Edmonds, Frank N., Jr. On the diffusion of imprisoned resonance radiation—424
Eggenberger, Delbert N. and Paul L. Copeland. Transit time of electrons in simple diodes as a function of current density—643(A)
Eggler, C. (see Alburger, D. E.)—318(A)
Eggleston, R. R. and G. L. Weissler. Sensitivity of a positive ion space charge detector—91(A)
Eirich, F. R. (see Schoenberg, M. D.)—359(A)
Eisenstein, A. Oxide-cathode research at the University of Missouri—352(T)
Ekstein, H. Remarks on the magnetic scattering of neutrons—731
Elder, F. R. (see Baldwin, G. C.)—76(L)
Elion, Herbert A. Experimental and theoretical transient heat propagation in a one-dimensional composite material—350(A)
Elliot, J. O. (see Hofstadter, R.)—81(L)
—— (see Liebson, S. H.)—65(L)
Elliott, Norman. Interaction between paramagnetic ions in crystals—341(A)
Elsasser, W. M. Zero-point equation of state at extreme pressures—351(A)
—— (see Swift, C. J.)—64(L)
Elvey, C. T. Progress in upper air research at N.O.T.S.—82(T)
Emmerich, Werner S. and J. D. Kurbatov. Beta-spectrum of prometheum 147—187(A)
Engel, Olive G. (see Rice, O. K.)—183(L)
—— **and O. K. Rice.** Lambda-temperatures of solutions of He^3 in He^4—55
England, R. E. (see Ogle, W. E.)—63(L)
English, W. N. (see Loeb, L. B.)—91(A)
Ertel, A. Effect of impurities on thermionic emission from platinum—352(T), 353(A)
Espersen, George A. (see Levi, Roberto)—231
Estermann, I. Semiconductors as low temperature thermometers—83(A)
Evvard, J. C. Development of supersonic airfoil theory—315(T)
Ewald, A. W. (see Gildart, Lee)—645(A)
Extermann, R. C. (see Béné, G. J.)—66(L)
Eyges, L. Transition curves in lead of x-rays causing nuclear reactions. II. Theoretical—85(A)

Fabricand, B. P. (see Lee, C. A.)—340(A)
Falk, C. E. (see Cohen, B. L.)—639(A)
Fan, H. Y. Temperature dependence of the energy gap in monatomic semiconductors—808(L)
—— (see Becker, M.)—301(L)
—— (see Lark-Horovitz, K.)—334(A)
—— (see Odell, N. H.)—334(A)
—— (see Orman, C.)—646(A)
—— (see Taylor, W. E.)—335(A)
—— **and M. Becker.** Infra-red absorption of silicon—178(L)
—— **and M. Becker.** Temperature dependence of photovoltaic effects on P-N barriers in germanium—335(A)

Faris, F. E. (see Wright, Byron T.)—89(A)
Farly, G. M. (see Kerns, Q. A.)—85(A)
Farnsworth, H. E. (see Crowell, Albert D.)—351(A)
—— (see Kelly, Edward)—316(A)
—— (see Landeen, Stanley A.)—351(A)
—— (see Schlier, Robert E.)—316(A)
Faul, Henry (see Goodman, Clark)—640(A)
Faust, William R. Specific activity of potassium—624(L)
Feenberg, E. (see Present, R. D.)—328(A)
Feister, I. Numerical evaluation of the Fermi beta-distribution function—375
—— **and L. F. Curtiss.** On the disintegration scheme of I^{131}—179(L)
Feld, B. T. (see Osborne, L. S.)—324(A)
——, **I. L. Lebow, and L. S. Osborne.** Relativistic showers in nuclear emulsions (II)—324(A)
Feldman, L. and C. S. Wu. Beta-spectrum of Be^{10}—318(A)
Ferry, John D., W. M. Sawyer, George V. Browning, and Arthur H. Groth, Jr. Dispersion of dynamic rigidity and viscosity in concentrated polyvinyl acetate solutions—359(A)
Feshbach, Herman (see Pease, Robert L.)—322(A)
Feuer, Paula and Hubert M. James. Effect of surface states on the Fermi level of a semiconductor—645(A)
Feynman, R. P. Physical viewpoints in quantum electrodynamics—314(T)
Fierz, M. Non-local fields—184(L)
Fireman, E. L. Double beta-decay—638(T)
Fisher, L. H. (see Bederson, B.)—331(A)
—— **and B. Bederson.** Further measurements of formative time lags of spark breakdown in air—331(A)
Fletcher, C. H., D. K. Weimer, and Walker Bleakney. Pressure behind a shock wave diffracted through a small angle—634(L)
Fluke, Donald J. Apparatus for ultraviolet irradiation of viruses at the temperature of liquid hydrogen—335(A)
—— (see Setlow, R. B.)—335(A)
Foldy, Leslie L. Lower bound on the range of the triplet neutron-proton interactions—636(L)
—— (see Osborn, R. K.)—322(A)
—— **and Siegfried A. Wouthuysen.** On the Dirac theory of spin ½ particles and its non-relativistic limit—29, 345(A)
Forbush, Scott E., Thomas B. Stinchcomb, and Marcel Schein. On the extraordinary increase of cosmic-ray intensity on November 19, 1949—323(A)
Forman, Guy. Study of color centers produced in quartz by x-rays—644(A)
Forman, Ralph and Glenn F. Rouse. Investigation of magnesium as an additive to the nickel base of an oxide cathode—355(A)
Forro, F., Jr. (see Pollard, Ernest)—335(A)
Forster, Harriet H. Cosmic-ray induced nuclear disintegrations at 11,000 meters—247
—— Photographic evidence for the existance of a meson of more than 450 electron masses—92(A)
—— (see Sun, H.)—86(A)
Foss, Martyn H. Steady high magnetic fields—641(A)
——, **J. G. Fox, R. B. Sutton, and E. Creutz.** Synchro-cyclotron magnet—641(A)
Fowler, E. C. (see Fowler, W. B.)—323(A)
——, **J. C. Street, W. B. Fowler, and R. D. Sard.** Cosmic-ray showers observed in a cloud chamber triggered by neutron coincidences—323(A)
Fowler, W. A. (see Brown, A. B.)—88(A)
—— (see Chao, C. Y.)—88(A)
—— (see Tollestrup, A.)—372
Fowler, W. B. (see Fowler, E. C.)—323(A)
——, **R. D. Sard, E. C. Fowler, and J. C. Street.** Stopped cosmic-ray particles observed in a cloud chamber triggered by neutron coincidences—323(A)
Fowles, G. R. Hyperfine structure and nuclear spins of tungsten and tellurium—744
Fox, Francis E. and Karl F. Herzfeld. On the forces producing the ultrasonic wind—156
Fox, J. G. (see Foss, M. H.)—641(A)
Franklin, A. D. "Heterocharge" of Carnauba wax electrets—342(A)
Freier, G., M. Fulk, E. E. Lampi, and J. H. Williams. Total cross section of C, O, Mg, Si, and S for fast neutrons—508
Freistadt, Hans. Approximate solutions of the field equations in Einstein's generalized theory of gravitation—329(A)
Frerichs, R. New optical glasses transparent in the infra-red up to 12μ—643(A)
Fretter, W. B. (see Green, John R.)—92(A)
—— **and John Ise, Jr.** Extensive showers under water—92(A)
Friedlander, G. (see Sunyar, A. W.)—326(A)
Froehlich, H. Shape of absorption lines in dielectrics—315(T)
Fulk, M. (see Freier, G.)—508
Fuoss, R. M. Conduction in liquids and plastics—315(T)

Gaerttner, E. R. and M. L. Yeater. Pair production in the field of the electron by x-rays from a 100-Mev betatron—621(L)
Gammel, J. L. Phase shifts in *p-d* scattering and exchange forces—321(A)
Gangnes, A. V. (see Van Allen, J. A.)—50
Gardner, Eugene (see Smith, F. M.)—86(A)
Garren, A. A. (see Smith, Lloyd)—85(A)
George, Waller (see Kauffman, John)—357(A)
—— **and John Kauffman.** Load-induced x-ray line broadening in nylon filaments—358(A)
Gerjuoy, E. and Harold Gruen. Iteration procedure in the Rayleigh-Ritz principle—90(A)
Germain, Lawrence S. Auger effect in the decay of At^{211}—90(A)
Geschwind, S., H. Minden, and C. H. Townes. Microwave measurements on the stable selenium isotopes in OCSe—174(L)
Ghiorso, A. (see Thompson, S. G.)—298(L)
——, **R. A. James, L. O. Morgan, and G. T. Seaborg.** Preparation of transplutonium isotopes by neutron irradiation—472(L)
Gildart, Lee and A. W. Ewald. Electron mobilities in conducting phosphors—645(A)
Gilliam, O. R., Charles M. Johnson, and Walter Gordy. Microwave spectroscopy in the region from two to three millimeters—140
Gilmore, G. D. (see Spencer, R. S.)—358(A), 358(A)
Gittings, H. T. (see Argo, H. V.)—691
Glendenin, L. E. (see Steinberg, E. P.)—624(L)
Gold, Louis. Analysis of multiple echo effect arising from the release of a stored wave train—332(A)
Goldberg, Leo (see McMath, Robert R.)—65(L)
——, **Orren C. Mohler, A. Keith Pierce, and Robert R. McMath.** $3\nu_3$-band of telluric CO^2 in the solar spectrum—74(L)
Goldfarb, L. J. B. (see Cheston, W. B.)—320(A), 683
Goldhaber, M. (see der Mateosian, E.)—326(A)
—— (see Katz, Robert)—9
—— (see Sunyar, A. W.)—326(A)
Goldsmith, G. J. (see Orman, C.)—646(A)
Goldstein, J. H. and J. K. Bragg. Determination of double-bond character from the microwave spectrum of planar asymmetric top molecules with a quadrupolar nucleus—347(A)
Goldstein, Louis. On the specific heat of liquid-vapor mixtures—351(A)
Goldstein, Martin and Ralph S. Halford. Infra-red spectra of some fibrous protein in polarized radiation—336(A)
Goldwasser, E. L. (see Merkle, T. C., Jr.)—92(A)

Goldwater, D. L. and R. E. Haddad. Certain refractory compounds as thermionic emitters—353(A)
Goodman, Clark, Charles W. Tittle, and Henry Faul. Nuclear radiations in well logging—640(A)
Goodrich, Max (see Campbell, Edward C.)—640(A)
Gordon, Gary D. Theory of thickness-shear resonance of piezoelectric resonators—642(A)
Gordon, W. E. Pressures in hydrogen-oxygen detonations—351(A)
Gordy, Walter (see Gilliam, O. R.)—140
——, **Harold Ring, and Anton B. Burg.** Microwave determination of the structure of borine carbonyl and of nuclear moments of the stable boron isotopes—512
Gorter, C. J. (see de Klerk, D.)—476(L)
Goucher, F. S. Photon yield of electron-hole pairs in germanium—816(L)
—— Quantum yield of electron-hole pairs in germanium—646(A)
Gove, Harry E. Angular distributions of protons emitted in reactions induced by 14-Mev deuterons—345(A)
—— (see Livingston, M. S.)—344(A)
Graham, R. L. (see Bell, R. E.)—490(L)
Graves, J. D. Effect of magnetic fields on the response of gamma-scintillation counters—309(L)
Green, Alex E. S. Experimental and theoretical mesons—187(A)
—— Formalistic *vs.* realistic theories—187(A)
—— Meson mass spectrum—642(A)
Green, James H., Jr. and Victor B. Corey. Analog solution of simultaneous partial differential equations by means of passive and active electrical networks—328(A)
Green, John R. and W. B. Fretter. Production of penetrating showers in carbon—92(A)
Green, L. C. and N. E. Weber. Oscillator strength for the $4s$-$4p$ transition in Ca II—343(A)
Green, Thomas A. Quantum electrodynamics—second-order corrections to the current operator—297(L)
Greene, Richard F. and Sol E. Harrison. Microwave conductivity of semiconductors—348(A)
Greenfield, M. A. (see Cohen, E. Richard)—639(A)
Gregory, Christopher. Commutator equations for fields derived from a variation principle—67(L)
—— General operator field equations derived from a variation principle. Construction of "divergence-less" four-vector operator—479(L)
Greisen, Kenneth. Interpretation of underground cosmic-ray data—65(L)
Griffith, Robert L. (see Berry, Chester R.)—317(A)
Gross, Leonard and Donald R. Hamilton. Beta-spectrum of S^{35}—318(A)
Groth, Arthur H., Jr. (see Ferry, John D.)—359(A)
Gruen, Harold (see Gerjuoy, E.)—90(A)
Grunlund, Jean M., B. G. Harvey, N. Moss, and L. Yaffe. Determination of the maximum energy of the β-rays from 16-hour Am^{242}—69(L)
Guth, E. (see Marshall, J. F.)—738

Haddad, R. E. (see Goldwater, D. L.)—353(A)
Hahn, E. E. (see Miller, P. H., Jr.)—349(A)
—— **and P. H. Miller, Jr.** Conductivity and Hall coefficient of zinc oxide semiconductor—348(A)
Halford, Ralph S. (see Goldstein, Martin)—336(A)
—— (see Savitzky, Abraham)—344(A)
—— **and Roger Newman.** Infra-red spectra for single crystals of ammonium nitrate and thallous nitrate in polarized radiation—348(A)
Hall, G. L. (see Conant, F. S.)—357(A)
Hall, H. (see Halpern, O.)—320(A)
Hall, R. N. Recrystallization purification of germanium—645(A)
Halpern, Otto. On the ratio of positive and negative photomesons—69(L)
—— **and H. Hall.** Statistical considerations concerning the mass of the μ-meson—320(A)
—— **and Charles B. Shaw, Jr.** Further remarks on neutron optics—88(A)
Hamermesh, Bernard and Virginia Hummel. Neutron groups from the reaction $Li^7(p,n)Be^7$—73(L)
Hamermesh, M. and C. O. Muehlhause. Resonance and thermal neutron scattering in V^{51}—175(L)
Hamilton, Donald R. (see Gross, Leonard)—318(A)
Hanna, G. C., B. G. Harvey, and N. Moss. Half-life of Cm^{242}—617(L)
Harkins, William D. Equivalence of protons and neutrons in nuclei—634(L)
Harrison, F. B. (see Reynolds, George T.)—488(L)
Harrison, Sol E. (see Greene, Richard F.)—348(A)
Hart, R. J., K. Russell, and R. M. Steffen. Efficiency of γ-counters—334(A)
Hartz, T. R. and A. van der Ziel. Square-wave modulation method for microwave spectra—473(L)
Harvey, B. G. (see Grunlund, Jean M.)—69(L)
—— (see Hanna, G. C.)—617(L)
Harvey, J. A. (see Livingston, M. S.)—344(A). Neutron binding energies from (d,p) reactions—345(A)
Hatcher, R. D. (see Breit, G.)—110
Haynes, J. R. (see Pearson, G. L.)—295(L)
Haynes, S. K. and J. W. Wedding. Use of three long narrow coils for neutralization of the earth's magnetic field in a beta-ray spectrometer—641(A)
Hayward, Raymond W. Beta-spectra of Zn^{62} and Cu^{62}—87(A)
Hazen, W. E. On the nuclear collision path length for π-mesons—320(A)
Heer, C. V. (see Daunt, J. G.)—342(A)
Hees, George (see Jacobs, Harold)—356(A)
Heller, Jack and Peter G. Bergmann. Covariant spinor theory—329(A)
Heller, Robert (see McGannon, J.)—317(A)
—— (see Sturcken, Edward)—327(A)
Helmholz, A. C. and K. Strauch. Nuclear cross sections for x-rays from the Berkeley synchrotron—86(A)
Helstrom, C. W. Production and annihilation of antiprotons—88(A)
Hemmendinger, A. (see Argo, H. V.)—691
Henri, V. P. (see Kraushaar, W. L.)—486(L)
Henrich, L. R. (see Smith, Lloyd)—85(A)
Henry, Allan (see Margenau, Henry)—587
Hereford, Frank L. Multiple scattering effects in the measurement of maximum electron ranges—327(A)
—— **and Charles P. Swann.** Maximum range of high energy electrons in aluminum and copper—727
Herlofson, N. (see Alfvén, H.)—616(L)
Herring, Conyers. Review of some facts on temperature variation of activation energies—352(T)
Herzfeld, Karl F. (see Fox, Francis E.)—156
Heydenburg, N. P. (see Whitehead, W. D.)—338(A)
Hill, David L. Asymmetry of nuclear fission—320(A)
Hill, R. D. (see Katz, Robert)—9
Hiltner, W. A. On polarization of radiation by interstellar medium—170(L)
Hipple, J. A. (see Driscoll, R. L.)—339(A)
—— (see Thomas, H. A.)—787
——, **H. Sommer, and H. A. Thomas.** Omegatron—332(A)
Hoffman, R. W. (see Crittenden, E. C., Jr.)—349(A)
—— **and E. C. Crittenden, Jr.** Determination of stresses in evaporated metal films—349(A)
Hofstadter, Robert (see McIntyre, John A.)—617(L)
——, **S. H. Liebson, and J. O. Elliot.** Terphenyl and dibenzyl scintillation counters—81(L)
—— **and John A. McIntyre.** Measurement of gamma-ray energies with two crystals in coincidence—619(L)

—— **and John A. McIntyre.** Simultaneity in the Compton effect—24
Hogan, C. L. and R. B. Sawyer. Measurement of thermal conductivity of metals at high temperature—350(A)
Holden, R. B., W. J. Taylor, and H. L. Johnston. Variable thickness low temperature infra-red absorption cell—344(A)
Holmes, F. H. (see Andrews, R. D.)—357(T)
Holstein, T. (see McCoubrey, A. O.)—315(T)
Holt, R. B. (see Dandurand, P.)—331(A)
Homer, H. H. (see Lowry, E. F.)—355(A)
Hopkins, John I. Response of the anthracene scintillation counter to monoenergetic electrons—643(A)
Hornig, D. F. and F. P. Reding. Infra-red spectra of crystalline ammonia and deutero-ammonia—348(A)
Horton, C. W., F. C. Karal, and C. M. McKinney. On the radiation patterns of dielectric rods of circular cross section—327(A)
Howard, Louis N. (see McGuire, T. R.)—342(A)
Hsiao, C. (see Seriff, A. J.)—290
Hsiao, C. C. and J. A. Sauer. On crazing of linear high polymers—358(A)
Hsu, Kung-Ngou (see Hu, Tsi-Ming)—633(L)
Hu, Tsi-Ming and Kung-Ngou Hsu. Binding energy of the triton—633(L)
Hudson, Alvin M. (see Rosen, Louis)—533
Hudspeth, Emmett L. and Charles P. Swann. Deuteron bombardment of C^{14}—337(A)
Huggins, M. L. Plasticity and elasticity: some fundamental concepts—336(A)
Hughes, D. J. Neutron mirrors—315(T)
—— (see Alburger, D. E.)—318(A)
—— **and D. Sherman.** Fast neutron cross sections and nuclear shells—632(L)
Hume, J. N. P. and M. F. Crawford. Configuration interactions in the Pb III spectrum—343(A)
Hummel, Virginia (see Hamermesh, Bernard)—73(L)
Hung, C. S. and V. A. Johnson. Resistivity of semiconductors containing both acceptor and donator impurity levels—335(A)
Hunten, D. M. Nuclear magnetic moment of Sc^{45}—806(L)
Hurst, G. S. Measurement of fast neutron dosage to tissue with a proportional counter—640(A)
Hutner, R. A. (see du Pré, F. K.)—355(A), 573

Inghram, Mark G. and John H. Reynolds. Double beta-decay of Te^{130}—822(L)
Inglis, D. R. Doublets of N^{15} and O^{16}—616(L)
—— Scarcity of states of Li^7, from magnetic observation of $Be^9(d,\alpha)Li^7$—104
Ise, John, Jr. (see Fretter, W. B.)—92(A)
Ivey, H. F. and C. L. Shackelford. Convenient methods for thermionic emission calculations—356(A)

Jacobi, G. T. and W. C. Dunlap, Jr. Low temperature instability of germanium—349(A)
Jacobs, Harold, George Hees, and Walter Crossley. Effects of controlled impurities in nickel core metal on thermionic emission from oxide-coated cathodes—356(A)
—— **and Jack Martin.** Role of cathode temperature in a glow discharge—331(A)
James, Hubert M. (see Feuer, Paula)—645(A)
James, R. A. (see Ghiorso, A.)—472(L)
Jarvis, G. A. (see Argo, H. V.)—691(A)
Jauch, J. M. (see Coester, F.)—149, 828(L)
Jeffries, C. D. Magnetic moment of the proton in units of the nuclear magneton—83(A)
Jen, C. K. Nuclear magnetic moment of S^{33}—339(A)
Jeppesen, C. R. and Paul E. Pflueger. New bands in the $3p^1\Pi$-$ls^1\Sigma$ system of the hydrogen molecule—91(A)
Jepsen, Robert L. Thermionic and secondary emission properties of magnetron cathodes and their influence on magnetron operation—354(A)
Jesse, William P. and John Sadauskis. Range-energy curves for alpha-particles and protons—1
Johnson, Charles M. (see Gilliam, O. R.)—140
Johnson, Gerald W. Oriented overgrowth of alkali halides on Ag, Bi, Sb, and Fe—316(A)
Johnson, Howard A. (see Duckworth, Henry E.)—179(L), 330(A), 386
Johnson, M. H. and B. A. Lippmann. Relativistic Kepler problem—329(A)
Johnson, V. A. (see Hung, C. S.)—335(A)
Johnston, H. L. (see Holden, R. B.)—344(A)
—— (see Taylor, W. J.)—343(A)
Jones, L. C. (see Rouse, A. G.)—347(A)
Jones, R. J. (see Livingston, R. S.)—329(A)
Jones, Stanley B. (see Bradner, H.)—90(A)
—— **and R. Stephen White.** Relative yield functions for π^--mesons from carbon—12
Jones, W. B., H. R. Kratz, J. L. Lawson, G. L. Ragan, and H. G. Voorhies. New method for particle injection into accelerators—60

Kaesberg, Paul (see Beeman, W. W.)—336(A)
——, **W. W. Beeman, and H. N. Ritland.** Double crystal and slit methods in small angle x-ray scattering—336(A)
Kallmann, Hartmut. Scintillation counting with solutions—621(L)
Kao, S. K. (see Cohen, B. L.)—639(A)
Kaplan, Joseph. Heat of dissociation of nitrogen—93(A)
—— Infra-red spectra of the night sky, aurora and afterglows—82(A)
Kaplan, Nathan (see Yagoda, Herman)—765
Kaplon, M. F., H. Bradt, and B. Peters. Erratum: evidence for multiple meson and γ-ray production in cosmic-ray stars—68(L)
——, **B. Peters, and H. L. Bradt.** Energy transfer to nucleons in cosmic-ray stars at 95,000 feet—680
Karal, F. C. (see Horton, C. W.)—327(A)
Karash, W. J. (see Kenty, C.)—625(L)
Karr, H. J. (see Mather, K. B.)—292(L)
Katz, G. (see de Bretteville, A., Jr.)—340 (A)
Katz, Robert, R. D. Hill, and M. Goldhaber. Disintegration of Te^{121} and Te^{123} isomers—9
Katzenstein, J. Radiative collisions of positrons and electrons—161
Kauffman, John (see George, Waller)—358(A)
—— **and Waller George.** Incubation of plastic shocks in certain polymeric films—357(A)
Kaufman, Raymond. Ionization potentials of some molecules commonly used in counters—332(A)
Kauzmann, W. (see Slifkin, L.)—631(L)
Kê, T'ing-Sui. Anomalous internal friction associated with the precipitation of copper in cold worked Al-Cu alloys—420
Keepin, G. R., Jr. and J. H. Roberts. Fast neutron spectrometer employing Li^6 impregnated emulsions—87(A)
Keilholtz, G. W. (see Southern, A. L.)—639(A)
Keller, H. B. (see Cork, J. M.)—95
Keller, J. W., Jr. (see Liebson, S. H.)—305(L)
Kelly, Edward, H. E. Farnsworth, and Edward N. Clarke. Photoelectric work function of a silver film on the (100) face of a silver crystal—316(A)
Kenney, Robert W. (see Blocker, Wade)—87(A)
Kenty, Carl. Temperature of the mercury arc—626(L)
—— **and W. J. Karash.** X-ray determination of Hg arc temperature—625(L)
Kern, H. E. (see Burton, J. A.)—355(A)
—— **and R. T. Lynch.** Diode studies of oxide-coated cathodes—355(A)

Kerns, Q. A., W. R. Baker, G. M. Farly, and J. Riedel. Bevatron model radiofrequency system—85(A)
Kerst, D. W., G. D. Adams, H. W. Koch, and C. S. Robinson. Operation of a 300-Mev betatron—297(L)
Kiepenheuer, K. O. On the origin of cosmic radiation from the sun—809(L)
Kies, J. A. and A. M. Sullivan. Fracture markings in plastics—357(A)
Kikuchi, C. (see Carr, E. F.)—470(L)
King, Gilbert W. Effect of excluded volume on the configurations of long chain molecules—359(T)
—— Monte-Carlo method in quantum mechanics—328(A)
Kinsey, B. B., G. A. Bartholomew, and W. H. Walker. Neutron binding energies in Pb^{207}, Pb^{208}, and in Bi^{210}—77(L)
——, **G. A. Bartholomew, and W. H. Walker.** Transitions to the ground states in nuclei excited by slow neutron capture—481(L)
Kirkpatrick, Paul (see Baez, Albert V.)—83(A)
Kisliuk, P. and C. H. Townes. Rotational spectrum and molecular structure of PCl_3—347(A)
Kittel, C. (see Shockley, W.)—341(A)
Klein, J. A. (see Loubser, J. H. N.)—348(A)
Klick, Clifford C. Luminescence of color centers in lithium fluoride—644(A)
Koch, G. P. (see Taylor, W. J.)—343(A)
Koch, H. W. (see Kerst, D. W.)—297(L)
Koehler, W. C., E. O. Wollan, and C. G. Shull. Studies of neutron diffraction by some nuclei with zero spin—640(A)
Kohn, W. (see Borowitz, S.)—345(A)
Konopinski, E. J. Theory of forbidden beta-ray transitions—638(T)
Kouts, H. (see Bohm, D.)—346(A)
Kowarski, Lew. Magic numbers and elements with no stable isotopes—477(L)
Kratz, H. R. (see Jones, W. B.)—60
Kraushaar, W. L., J. E. Thomas, Jr., and V. P. Henri. Detection of the π-μ-decay with a scintillation crystal—486(L)
Kruger, P. G. (see Leiter, H. A.)—663
—— (see Rodgers, F. A.)—656
Kundu, D. N. and M. L. Pool. Copper 61 and 67—488(L)
—— **and M. L. Pool.** Dependence of Fermi $|M|^2 f$ on Z for certain isotopic numbers—328(A)
Kunkel, W. B. Electrical charges on dust particles—91(A)
Kunstadter, John W. Correction to be applied to the activity neutron-activated cadmium-covered indium foils—484(L)
Kurbatov, J. D. (see Cheng, Lin-Sheng)—319(A)
—— (see Cohn, Ruth A.)—318(A)
—— (see Dale, E. B.)—640(A)
—— (see Emmerich, Werner S.)—187(A)
Kusch, P. Nuclear magnetic moments of the gallium isotopes—615(L)
—— (see Ochs, S. A.)—184(L)

Lamb, Willis E., Jr. and Miriam Skinner. Fine structure of singly ionized helium—539
Lampi, E. E. (see Freier, G.)—508
Landé, Alfred. Interaction between elementary particles—346(A)
Landeen, Stanley A., H. E. Farnsworth, and Russell K. Sherburne. Application of a mass spectrometer to the study of surface reactions at low pressures—351(A)
Landon, H. H. Proton-gamma-ray coincidence study of the energy level scheme of Si30—338(A)
Langer, Lawrence M. and R. Douglas Moffat. Precise determination of the energy of the Cs^{137} gamma-radiation—74(L)
Lark-Horovitz, K. Nucleon bombardment of semiconductors—638(T)
—— (see Cleland, J. W.)—645(A), 814(L)
—— (see Crawford, J. H., Jr.)—645(A), 815(L)
——(see Orman, C.)—646(A)
——, **M. Becker, R. E. Davis, and H. Y. Fan.** Nucleon-bombarded silicon—334(A)
Lauer, James L. Optical alignment of a recording near infrared spectrophotometer—344(A)
Lauritsen, C. C. (see Brown, A. B.)—88(A)
—— (see Chao, C. Y.)—88(A)
—— (see Tollestrup, A.)—372
Lauritsen, T. (see Thomas, R. G.)—88(A)
—— **and R. G. Thomas.** Gamma-radiation from an excited state of Be^7—88(A)
Lawrance, Richard B. Centrifugal distortion in the formal dehyde molecule—347(A)
—— (see Weiss, M. T.)—202
Lawrence, E. O. (see Lofgren, E. J.)—85(A)
—— (see Sewell, D. C.)—85(A)
Lawson, A. W. Thermal expansion in silver halides—185(L)
Lawson, J. L. (see Jones, W. B.)—60
Lax, Melvin. On k well-known cross-section theorem—306(L)
—— Variational method for non-conservative collisions—306(L)
—— Variational methods and cross-section theorem for non-conservative collisions—322(A)
Leaderman, H. Structure and physical properties of crystalline polymers—315(T)
LeBlanc, J. M. (see Cork, J. M.)—299(L), 304(L)
Lebow, I. L. (see Feld, B. T.)—324(A)
—— (see Osborne, L. S.)—324(A)
Lee, C. A., R. O. Carlson, B. P. Fabricand, and I. I. Rabi. Radiofrequency spectrum of $TlCl^{35}$—340(A)
Lehovec, K. Recovery of selenium rectifiers after passing of short current pulses—348(A)
Leighton, R. B. (see Seriff, A. J.)—290
Leiter, H. A. (see Rodgers, F. A.)—656
——, **F. A. Rodgers, and P. G. Kruger.** Angular distribution of protons from the D-D reaction at 10 Mev—663
Leith, C. E. Multiple scattering deflector for the 184-inch cyclotron—89(A)
Leser, W. H. (see Weir, C. E.)—357(A)
Levi, Roberto and George A. Espersen. Preparation of rhenium emitters and measurements of their thermionic properties—231
Levinger, J. S. and H. A. Bethe. Dipole transitions in the nuclear photo-effect—115
Levinstein, Henry (see Wyrick, Ralph)—304(L)
Levinthal, C. (see Silverman, A.)—87(A)
——, **E. A. Martinelli, and A. Silverman.** Inelastic scattering of protons by aluminum and carbon—199
Levinthal, E. C. Relative nuclear moments of H^1 and H^2—204
Levitas, Alfred. Analysis of acoustic scattering by variational methods—333(A)
Lewis, H. W. Multiple scattering in an infinite medium—321(A), 526
Lewis, Harold W. Cosmic-ray bursts in ionization chambers of different materials—483(L)
Lidofsky, L. J. (see Macklin, P. A.)—318(A)
——, **P. A. Macklin, and C. S. Wu.** Bromine 80 and its isomers—318(A)
Liebson, S. H. (see Hofstadter, R.)—81(L)
—— **and J. O. Elliot.** Temperature variation of decay times of scintillation phosphors—65(L)
—— **and J. W. Keller, Jr.** Temperature dependence of organic scintillation counters—305(L)
Lin, C. C. Stability theory of viscous flows—315(T)
Lind, D. A., W. J. West, and J. W. M. DuMond. Erratum: x-ray and gamma-ray reflection properties from 500 x-units to 9 x-units of unstressed and of bent quartz plates—474(L)
Lindenbaum, Seymour (see Rudin, Robert)—319(A)

Lindner, M. and J. S. Coleman. New beta-emitting isotopes in region of tungsten—67(L)
—— **and I. Perlman.** Spallation products of antimony irradiated with high energy particles—499
Lindström, Gunnar. Experimental investigation of the nuclear magnetic moments of D^2 and H^1—817(L)
Lippmann, B. A. (see Johnson, M. H.)—329(A)
Little, J. B. (see Teal, G. K.)—647(A)
Livingston, M. S., K. Boyer, H. E. Gove, J. A. Harvey, and M. Deutsch. Studies of disintegrations by 14-Mev deuterons—344(A)
Livingston, R. S., R. J. Jones, and R. E. Wright. High intensity ion source for cyclotrons—329(A)
Loeb, Arthur L. Interionic attraction theory for regions of solutions near high potential surfaces—350(A)
Loeb, L. B., J. H. Parker, E. E. Dodd, and W. N. English. Choice of gap forms for corona breakdown studies and the electrostatic field in a point-to-plane gap—91(A)
Lofgren, E. J. (see Sewell, D. C.)—85(A)
——, **W. M. Brobeck, E. O. Lawrence, and D. C. Sewell.** Bevatron model operating results—85(A)
Logan, R. A. (see Ochs, S. A.)—184(L)
Lomont, J. S. (see Belinfante, F. J.)—346(A)
Loomis, C. C. (see Weiss, M. T.)—202
Loomis, F. W. Can physics serve two masters?—315(T)
Lopes, J. Leite. Nucleon magnetic moment in meson pair theories—36
Lord, J. J. and Marcel Schein. Fluctuation of the nuclear disintegration rate in photographic emulsions exposed in the stratosphere following a solar flare—321(A)
—— **and Marcel Schein.** Intensity of primary heavy nuclei in the stratosphere at night—484(L)
Loubser, J. H. N. and J. A. Klein. Absorption of millimeter waves in ND^3—348(A)
Lowry, E. F., E. L. Mager, and H. H. Homer. Study of cathode behavior in fluorescent lamps—355(A)
Luyet, B. On the heat of devitrification of aqueous solutions—641(A)
Lynch, R. T. (see Burton, J. A.)—355(A)
—— (see Kern, H. E.)—355(A)
Lyons, W. James. Some theoretical considerations of dynamic-property data on textile specimens—357(A)
—— (see Conant, F. S.)—357(A)

Mackenzie, Alexander (see Murray, R. T. K.)—350(A)
Macklin, P. A. (see Lidofsky, L. J.)—318(A)
——, **L. J. Lidofsky, and C. S. Wu.** Beta-spectrum of Na^{22}—318(A)
Macnamara, J., C. B. Collins, and H. G. Thode. Fission yield of Xe^{133} and fine structure in the mass yield curve—129
—— **and H. G. Thode.** Comparison of the isotopic constitution of terrestrial and meteoritic sulfur—307(L)
Madansky, L. (see Berlin, T. H.)—623(L)
Mager, E. L. (see Lowry, E. F.)—355(A)
Magnusson, L. B., S. G. Thompson, and G. T. Seaborg. New isotopes of neptunium—363
Malm, R. and W. W. Buechner. Energy levels in N^{15}—337(A)
Malvano, R. and M. Panetti. Oscillographic method for observing magnetic resonance spectra—826(L)
Mandeville, C. E. Some characteristics of the 11-day neodymium—319(A)
—— (see Shapiro, E.)—319(A)
—— (see Swann, C. P.)—338(A)
—— (see Whitehead, W. D.)—337(A)
Manning, Thurston E., C. E. Anderson, and W. W. Watson. Isotope shift in the spectrum of neutral lead—417
Margenau, Henry and Allan Henry. Theory of magnetic resonance in nitric oxide—587
Mark, H. and T. Alfrey. Modern plastics—315(T)
Marquez, Luis and I. Perlman. Neutron deficient isotopes of iodine—189
Marshak, R. E. Isobaric state of nucleon—346(A)
Marshall, J. F. and E. Guth. Photo-disintegration of the deuteron at high energies—738
Martin, Jack (see Jacobs, Harold)—331(A)
Martinelli, E. A. (see Levinthal, C.)—199
Mason, W. P. (see Bond, W. L.)—176(L)
Massey, H. S. W. and B. L. Moiseiwitsch. Scattering of electrons by hydrogen atoms—180(L)
Mather, K. B., H. J. Karr, and R. O. Bondelid. Deuteron-proton scattering at 10 Mev—292(L)
Matheson, R. M. and L. S. Nergaard. Decay and recovery of the pulsed emission of oxide-coated cathodes—355(A)
Maxwell, Emanuel. Isotope effect in the superconductivity of mercury—477(L)
Mayer, Maria Goeppert. Nuclear configurations in the spin-orbit coupling model. I. Empirical evidence—16
—— Nuclear configurations in the spin-orbit coupling model. II. Theoretical considerations—22
Mays, J. M. (see Minden, H. T.)—347 (A)
McAfee, K. B., Jr. Magnetic electron spin—nuclear spin interaction in the rotational spectrum of NO^2—340(A)
McCord, R. V. (see Snell, Arthur H.)—310(L), 317(A)
McCoubrey, A. O., D. Alpert, and T. Holstein. Imprisonment of resonance radiation in mercury vapor—315(T)
McElhinney, J. and W. E. Ogle. Cu^{63} photo-neutron threshold—63(L)
McGannon, J., R. Heller, and A. H. Weber. Lattice constants of zinc oxide—317(A)
McGowan, F. K. Radiation from $Au^{197*}(7\times10^{-9}$ sec.)—325(A)
—— **and S. De Benedetti.** Measurement of short-lived isomeric states—630(T)
McGuire, T. R. and Louis N. Howard. Specific heat determination on non-metallic ferrites—342(A)
McIntyre, John A. (see Hofstadter, Robert)—24, 619(L)
—— **and Robert Hofstadter.** Measurement of gamma-ray energies with one crystal—617(L)
McKay, A. S. (see Brown, W. W.)—67(L)
McKeown, M. (see Scharff-Goldhaber, Gertrude)—325(A)
McKinney, C. M. (see Horton, C. W.)—327(A)
McLean, William B. (see Baños, Alfredo, Jr.)—92(A)
McMath, Robert R. (see Goldberg, Leo)—74(L)
——, **A. Keith Pierce, Orren C. Mohler, Leo Goldberg, and Russell A. Donovan.** N^2O bands in the solar spectrum—65(L)
McMillan, Edwin M. (see Peterson, Jack M.)—84(A)
—— (see White, R. Stephen)—84(A)
McMinn, William O., M. B. Sampson, and M. Loren Bullock. Proton groups from the alpha-particles bombardment of beryllium—296(L)
McNally, J. O. Life tests of oxide-coated cathodes—an engineering report—356(A)
McSkimin, H. J. (see Bond, W. L.)—176(L)
Meacham, L. A. and S. E. Michaels. Observations of the rapid withdrawal of stored holes from germanium transistors and varistors—175(L)
Meagher, R. E. Proton-proton scattering at 5 Mev—667
Meinel, A. B. Near-infra-red spectrum of the night sky and aurora—82(T)
Meinke, W. W. and G. T. Seaborg. Extension of alpha- and beta-decay systematics of protactinium isotopes—475(L)
Merkle, T. C., Jr., E. L. Goldwasser, and R. B. Brode. Mass measurements of cosmic-ray particles—92(A)
Merz, W. J. Behavior of $BaTiO^3$ crystals under hydrostatic pressure—341(A)
—— Dependence of the piezoelectric effect of $BaTiO^3$ single crystals on temperature up to 160°C—642(A)
—— Effect of hydrostatic pressure on the Curie point of barium titanate single crystals—52

Metzger, Franz and Martin Deutsch. Study of the polarization-direction correlation of successive gamma-ray quanta—551
Michaels, S. E. (see Meacham, L. A.)—175(L)
Millar, C. H. (see Cameron, A. G. W.)—337(A)
—— **and A. G. W. Cameron.** Photo-alpha-reactions in oxygen and nitrogen—78(L)
Miller, D. W. Search for nuclear energy levels in C^{13}—806(L)
Miller, Daniel R. Chromium isotope of mass 55—808(L)
Miller, P. H., Jr. (see Hahn, E. E.)—348(A)
—— (see Russell, B. R.)—645(A)
—— **and E. E. Hahn.** Some electrical properties of zinc oxide semiconductor—349(A)
—— **and B. J. Rothlein.** Preliminary study of the work function of contaminated metal surfaces—354(A)
Minden, H. T. (see Geschwind, S.)—174(L)
——, **J. M. Mays, and B. P. Dailey.** Microwave spectrum of CH_3SiF_3—347(A)
Mingins, Charles R. (see Bartnoff, Shepard)—316(A)
Moffat, R. Douglas (see Langer, Lawrence M.)—74(L)
Mohler, Fred L. Total ionization of hydrocarbons from mass spectral data—332(A)
—— (see Reese, Robert M.)—332(A)
Mohler, Orren C. (see Goldberg, Leo)—74(L)
—— (see McMath, Robert R.)—65(L)
Moiseiwitsch, B. L. (see Massey, H. S. W.)—180(L)
Molnar, J. P. Conduction phenomena in gases—315(T)
Montgomery, H. C. and W. Shockley. Noise in germanium related to fluctuations in hole concentration—646(A)
Moon, M. L. (see Waggoner, M. A.)—295(L)
Moore, Donald C. (see Neissel, John P.)—643(A)
Moore, George E. (see Allison, H. W.)—354(A)
Morgan, F. H. Refractory thermocouples and emissivity determinations—353(A)
—— (see Danforth, W. E.)—353(A)
Morgan, H. W. (see Southern, A. L.)—639(A)
Morgan, L. O. (see Ghiorso, A.)—472(L)
Morin, F. J. Magnetic susceptibility of αFe_2O_3 and αFe_2O_3 with added titanium—819(L)
Morrish, A. H. (see Dekker, A. J.)—301(L)
Morrison, P. On the history of the noble gases—334(A)
Morse, Philip M. (see Pellam, John R.)—474(L)
Morton, G. A. Scintillation counters and photo-multipliers—315(T)
Moseley, H. M. and Nathan Rosen. Are mesons elementary particles?—67(L)
Moses, H. E. and Ta-You Wu. Distribution of atomic and molecular oxygen in the upper atmosphere—333(A)
Moss, N. (see Grunlund, Jean M.)—69(L)
—— (see Hanna, G. C.)—617(L)
Moyer, B. J. (see Crandall, W. E.)—89(A)
Mrozowski, S. Semiconductivity of polycrystalline graphite—644(A)
Muehlhause, C. O. (see Hamermesh, M.)—175(L)
Mueller, D. W. (see Seitz, Frederick)—605
Murakawa, K. Revision of the hyperfine structure of the spectrum of mercury—480(L)
Murray, R. T. K. and Alexander Mackenzie. Field electron emission from dielectrics—350(A)
Myers, Vernon. Intermolecular forces in benzene—348(A)

Nafe, John (see Blau, Marietta)—320(A)
Nakajima, Sadao, Kazuhisa Tomita, and Tunemaru Usui. Phenomenological theory of liquid helium II—768
Nechaj, J. F. (see Sun, Kuan-Han)—338(A)
Neher, H. V. Correlation of geomagnetic cosmic-ray effects—674
—— (see Biehl, A. T.)—172(L)
Neissel, John P. and Donald C. Moore. Scintillation counters as detectors of soft x-rays—643(A)
Nelson, Herbert. Base-metal effects in thoria-coated filaments—353(A)
Nergaard, L. S. (see Matheson, R. M.)—355(A)
Nesbitt, E. A. Magnetostriction of permanent magnet alloys—638(A)
Nesbitt, L. B. (see Reynolds, C. A.)—487(L)
—— (see Serin, B.)—813(L)
Neumann, H. M. and I. Perlman. Isotopic assignments of bismuth isotopes produced with high energy particles—191
Newell, G. F. Crystal statistics of a two-dimensional Ising lattice—444
—— Electric quadrupole moment of the deuteron—711
Newman, Roger (see Halford, Ralph S.)—348(A)
—— **and Edward M. Purcell.** Nuclear spin relaxation in KH_2PO_4, KH_2AsO_4, $NH_4H_2PO_4$, and $NH_4H_2AsO_4$—339(A)
Newton, T. D. Decay constants from coincidence experiments—490(L)
Nichols, M. H. Average thermionic constants of polycrystalline tungsten wires—158
Nielsen, Harald H. *l*-type doubling in OCS and HCN—296(L)
—— Note on the centrifugal stretching in axially symmetric molecules—415
Nielsen, John P. Interfacial energies *vs.* tensions in polycrystalline matter—350(A)
Nielsen, Lawrence E. (see Buchdahl, R.)—359(A)
—— **and Rolf Buchdahl.** Mechanical properties of oriented polystyrene films—359(A)
Nordheim, L. W. β-decay and the nuclear shell model—294(L)
Nottingham, W. B. Experimental techniques involved in thermionic studies of clean metals—352(T)
Novey, Theodore B. Beta-gamma-angular correlation—66(L)
Noyes, H. P. Phenomenological interpretation of *p-p* scattering at 32 Mev—90(A)

Oberly, John J. (see Burstein, E.)—349(A), 642(A)
Ochs, S. A., R. A. Logan, and P. Kusch. H.f.s. anomaly of the potassium isotopes—184(L)
Odell, N. H. and H. Y. Fan. Impedance characteristics of grain boundaries in high resistivity *N*-type germanium—334(A)
Oetjen, R. A. (see Shaffer, W. H.)—187(A)
Ogle, W. E. (see McElhinney, J.)—63(L)
——, **L. J. Brown, and A. N. Carson.** Thresholds for the photo-disintegration of Zr^{90}, Pr^{141}, As^{75}, I^{127}, and Ni^{58}—63(L)
—— **and R. E. England.** Photo-neutron thresholds of titanium[46] and chromium[50]—63(L)
Olsen, K. M. (see Bond, W. L.)—176(L)
Orman, C., H. Y. Fan, G. J. Goldsmith, and K. Lark-Horovitz. Germanium *P-N* barriers as counters—646(A)
Osborn, R. K. and L. L. Foldy. On the phenomenological theory of exchange moments—322(A)
Osborne, L. S. (see Feld, B. T.)—324(A)
——, **B. T. Feld, and I. L. Lebow.** Relativistic showers in nuclear emulsions (I)—324(A)
Ostroski, A. S. and R. B. Stambaugh. Emulsion polymerization with ultrasonic vibration—358(A)
Owen, George E., C. Sharp Cook, and Paul H. Owen. Disintegration of Cu^{61}—686
Owen, Paul H. (see Owen, George E.)—686
Oxholm, M. L. (see Shaw, J. H.)—497(L)
Oxley, C. L. (see Towler, O. A., Jr.)—326(A)

Packard, M. E. Nuclear induction apparatus for observing signals in gases—83(A)
Palumbo, T. R. Ceramic heaters and cathodes for electron tubes—356(A)
Panetti, M. (see Malvano, R.)—826(L)
Panofsky, Wolfgang, K. H. (see Steinberger, J.)—802

——, **Lee Aamodt, and Herbert F. York.** Gamma-ray spectrum from the absorption of π^--mesons in hydrogen—825(L)
—— **and H. F. York.** Absorption of π^--mesons in hydrogenous materials—89(A)
Parker, J. H. (see Loeb, L. B.)—91(A)
Parkins, W. E. (see Rasor, N. S.)—638(A)
Pauli, W., Jr. Recent developments of quanticized field theories—315(T)
Pearson, G. L. Magneto-resistance effect in oriented single crystals of germanium—646(A)
—— (see Brattain, W. H.)—646(A)
——, **J. R. Haynes, and W. Shockley.** Comment on mobility anomalies in germanium—295(L)
Pease, Robert L. and Herman Feshbach. Range of tensor forces and the theory of H^3—322(A)
Pecjak, F. A. (see Sun, Kuan-Han)—338(A)
Peck, R. A., Jr. Spectrum of neutrons from Ta(*dn*)—338(A)
Pellam, John R. Observation of second sound radiation pressure by the thermal pitot tube—818(L)
—— **and Philip M. Morse.** Thermal Rayleigh disk in liquid He II—474(L)
Penfield, Robert (see Bergmann, Peter G.)—329(A)
Penndorf, R. On the origin of the sodium *D*-lines during twilight—66(L)
Perez Mendez, Victor (see Brown, Harold)—649, 812(L)
—— **and Harold Brown.** Beta-spectrum of He^6—317(A)
—— **and H. Brown.** Gamma-radiation from Ne^{23}—812(L)
Perlman, I. (see Lindner, M.)—499
—— (see Marquez, Luis)—189
—— (see Neumann, H. M.)—191
Peters, B. (see Kaplon, M. F.)—68(L), 680
Peterson, Jack M. (see White, R. Stephen)—84(A)
——, **Edwin M. McMillan, and R. Stephen White.** Production of mesons by x-rays, part II: experimental results—84(A)
Peterson, John W. Influence of the piezo-electric effect on tribo-electrification—91(A)
Peterson, Vincent (see Aamodt, Lee)—87(A)
Petropoulos, G. M. Avalanche transformation during breakdown in uniform fields—250
Pflueger, Paul E. (see Jeppesen, C. R.)—91(A)
Phillips, Robert (see Aamodt, Lee)—87(A)
Piccioni, Oreste. Interaction of pi-mesons—78(L)
Pierce, A. Keith (see Goldberg, Leo)—74(L)
—— (see McMath, Robert R.)—65(L)
Pietenpol, W. J., J. D. Rogers, and Dudley Williams. Microwave spectra of asymmetric top molecules—480(L)
Pigg, J. C. (see Cleland, J. W.)—645(A), 814(L)
Piore, E. R. Government support and thermionics—352(T)
Pirani, F. A. E. (see Schild, A.)—329(A)
Plass, Gilbert N. and John Strong. Radiation equilibrium in the stratosphere—334(A)
Pleasonton, Frances (see Snell, Arthur H.)—310(L), 317(A)
Plumlee, R. H. Mass spectrometric studies of oxide cathode sublimation phenomena—90(A)
Podolsky, Boris. Heat conduction problem—187(A)
Pollard, Ernest and F. Forro, Jr. Cyclotron bombardment of enzymes and viruses—335(A)
Pollard, R. E. (see Buchdahl, R.)—359(A)
Pomerantz, Martin A. Increase in the primary cosmic-ray intensity at high latitudes, and the non-existence of a detectable permanent solar magnetic field—325(A)
Pool, M. L. (see Kundu, D. N.)—328(A), 488(L)
—— (see Robertson, B. E.)—318(A)
Post, R. F. Preliminary results—operation of a high power electron linear accelerator—92(A)
—— **and N. S. Shiren.** Characteristics of scintillation counters using pulsed photo-multipliers—644(A)
—— **and N. S. Shiren.** Decay time of stilbene scintillations as a function of temperature—80(L)
—— **and N. S. Shiren.** Performance of pulsed photo-multiplier scintillation counters—81(L)
Potter, C. A. (see Rouse, A. G.)—347(A)
Present, R. D. and E. Feenberg. On the nuclear quadrupole moment of Li^7—328(A)
Preston, Richard S. (see Duckworth, Henry E.)—386, 479(L)
Price, William J. Thermionic emission, conductivity, and contact potential difference measurements—354(A)
Pringle, R. W., K. I. Roulston, and S. Standil. Gamma-rays from $Be^9(\alpha,n)$—627(L)
——, **S. Standil, and K. I. Roulston.** Natural activity of lanthanum—303(L)
Pringsheim, Peter. Fluorescence and phosphorescence—315(T)
—— **and Philip Yuster.** Absorption bands and luminescence of LiF irradiated at low temperature—293(L)
Pritchard, Benjamin S. (see Sharbaugh, A. Harry)—64(L)
Proctor, W. G. and F. C. Yu. Nuclear induction radiofrequency spectrometer—83(A)
—— **and F. C. Yu.** On the magnetic moments of Xe^{129}, Bi^{209}, Sc^{45}, Sb^{121}, and Sb^{123}—471(L)
Purcell, Edward M. Recent work on the ratio of the magnetic moments of electron and proton, and related atomic constants—315(T)
—— (see Newman, Roger)—339(A)
—— **and N. F. Ramsey.** On the possibility of electric dipole moments for elementary particles and nuclei—807(L)

Quercia, I. F., B. Rispoli, and S. Sciuti. On the positive and negative excess of the penetrating component of cosmic radiation at 3500 m above sea level—824(L)

Rabi, I. I. (see Lee, C. A.)—340(A)
—— (see Zeiger, H.)—340(A)
Racah, Giulio. Nuclear coupling and shell model—622(L)
Ragan, G. L. (see Jones, W. B.)—60
Rall, Waldo (see Allen, R. C.)—337(A)
Ramsey, Norman F. Internal diamagnetic field correction in precision measurements of the proton magnetic moment—339(A)
—— Magnetic shielding of nuclei in molecules—699
—— Molecular beam resonance method with separated oscillating fields—695
—— Quadrupole moment of the electron distribution in hydrogen molecules—221
—— (see Purcell, E. M.)—807(L)
Randall, C. A. Properties of cosmic rays under 1100 ft. of earth—320(A)
Rasmussen, V. K. (see Rubin, S.)—83(A)
Rasor, N. S. and W. E. Parkins. Pulse-annealing method for the study of changes in physical properties resulting from heat treatment—638(A)
Raymond, Richard C. Entropy of non-equilibrium systems—351(A)
Read, W. T. Quantitative prediction of grain boundary energies by anisotropic dislocation theory—350(A)
—— **and W. Shockley.** Dislocation models of crystal grain boundaries—275
Reardon, Gerald V. (see Wiederhorn, Norman M.)—359(A)
Reding, F. P. (see Hornig, D. G.)—348(A)
Reekie, James (see Rutter, J. W.—70(L)
Reese, Robert M., Vernon H. Dibeler, and Fred L. Mohler. Temperature variation of mass spectra of hydrocarbons—332(A)
Reynolds, C. A. (see Serin, B.)—813(L)
——, **B. Serin, W. H. Wright, and L. B. Nesbitt.** Superconductivity of isotopes of mercury—487(L)
Reynolds, George, T., F. B. Harrison, and G. Salvini. Liquid scintillation counters—488(L)
Reynolds, John H. (see Inghram, Mark G.)—822(L)

Reynolds, S. E. (see Workman, E. J.)—254
Rhodin, T. N., Jr. Low temperature oxidation of copper—638(A)
Rice, O. K. Partial molal entropy of superfluid in pure He^4 below the λ-point—182(L)
—— (see Engel, Olive G.)—55
—— **and Olive G. Engel.** Thermodynamics of He^3-He^4 solutions—183(L)
Richard, C. D., Jr. "Figure of merit" and a "quality ratio" for d.c. emission from oxide-coated cathodes—356(A)
Richman, C. (see Cartwright, W. F.)—823(L)
—— (see Wilcox, H. A.)—85(A)
—— **and H. Wilcox.** Measurement of the production of positive and negative π-mesons by 345-Mev protons on carbon—85(A)
—— **and H. A. Wilcox.** Production cross sections for π^+- and π^--mesons by 345-Mev protons on carbon at 90° to the beam—496(L)
Ridgway, Stuart L. Beta-gamma-angular correlation—821(L)
Riedel, J. (see Kerns, Q. A.)—85(A)
Ring, Harold (see Gordy, Walter)—512
Riseman, Jacob and Robert Ullman. Concentration dependence of viscosity of solutions of macromolecules—359(A)
Rispoli, B. (see Quercia, I. F.)—824(L)
Ritland, H. N. (see Beeman, W. W.)—336(A)
—— (see Kaesberg, Paul)—336(A)
Rittner, E. S. (see du Pré, F. K.)—355(A), 573
Roberts, A. (see Waggoner, M. A.)—295(L)
Roberts, J. H. (see Keepin, G. R., Jr.)—87(A)
Robertson, B. E., W. E. Scott, and M. L. Pool. Radioactive Y^{87} and Sr^{87}—318(A)
Robinson, C. S. (see Kerst, D. W.)—297(L)
Robson, J. M. Radioactive decay of the neutron—311(L)
Rodgers, F. A. (see Leiter, H. A.)—663
——, **H. A. Leiter, and P. G. Kruger.** Deuteron-proton scattering using photographic techniques—656
Rogers, J. D. (see Pietenpol, W. J.)—480(L)
Rogers, T. H. (see Yanagisawa, S. T.)—353(A)
Rogosa, George L. and Guenter Schwarz. Electronic excitation of L_{III} states—343(A)
Rohrlich, F. On the electromagnetic interaction of mesons of zero spin—346(A)
Rose, B. and A. R. W. Wilson. Angular correlation in the reaction $B^{10}(n,\alpha)Li^{7*}(\gamma)Li^7$—68(L)
Rose, D. C. On the sudden increase in cosmic-ray intensity on November 19, 1949—181(L)
Rose, M. E. Erratum: internal pair formation—184(L)
Rosen, Louis and Alvin M. Hudson. Symmetrical tripartition of U^{235} by thermal neutrons—533
Rosen, Nathan (see Moseley, H. M.)—67(L)
Rosenbaum, B. Nuclear recoil momentum in pair production—628(L)
Rosenbluth, M. N. and L. I. Schiff. High energy electron-proton scattering—326(A)
Rosenfeld, L. (see Bohr, N.)—794
Rothlein, B. J. (see Miller, P. H., Jr.)—354(A)
Rothstein, Jerome. Holes and retrograde arc spot motion in a magnetic field—331(A)
Roulston, K. I. (see Pringle, R. W.)—303(L), 627(L)
Rouse, A. G., A. V. Bushkovitch, L. C. Jones, C. A. Potter, and W. F. Sullivan. Pressure shift and broadening in microwave spectra—347(A)
Rouse, Glenn F. (see Forman, Ralph)—355(A)
Rubin, S. and V. K. Rasmussen. Chemical analysis by proton scattering—83(A)
Ruderman, I. W. Neutron diffraction study of vitreous silica—317(A)
Rudin, Robert, Marietta Blau, and Seymour Lindenbaum. Semi-automatic device for analyzing events in nuclear emulsions—319(A)
Russell, B. R., P. H. Miller, Jr. and C. F. Wahlig. A. c. circuit for rapid determination of Hall coefficients of semiconductors—645(A)
Russell, K. (see Hart, R. J.)—334(A)
Rutledge, W. C. (see Cork, J. M.)—95, 299(L), 304(L)
Rutter, J. W. and James Reekie. Effect of cold working on the electrical resistivity of copper and aluminum—70(L)

Sabin, R. (see Dwight, K.)—324(A)
—— (see Stix, T.)—324(A)
—— (see Winckler, J. R.)—324(A)
Sachs, R. G. (see Blanchard, C. H.)—292(L)
Sadauskis, John (see Jesse, William P.)—1
Salvini, G. (see Reynolds, George T.)—488(L)
Sampson, M. B. (see McMinn, William O.)—296(L)
Sard, R. D. (see Fowler, E. C.)—323(A)
—— (see Fowler, W. B.)—323(A)
Sauer, J. A. (see Hsiao, C. C.)—358(A)
Savitzky, Abraham and Ralph S. Halford. Ratio-recording double beam infra-red spectrophotometer using phase discrimination and a single detector—344(A)
Sawyer, R. B. (see Hogan, C. L.)—350(A)
Sawyer, W. M. (see Ferry, John D.)—359(A)
Saxon, David S., Alfredo Baños, Jr., and Louis L. Bailin. Radiation characteristics of a turnstile antenna in a cylindrical shield—327(A)
Scharff-Goldhaber, Gertrude (see Sunyar, A. W.)—326(A)
——, **E. der Mateosian, M. McKeown, and A. W. Sunyar.** Low energy photons from radioactive nuclei—325(A)
Schein, Marcel (see Forbush, Scott E.)—323(A)
—— (see Lord, J. J.)—321(A), 484(L)
—— (see Vidale, M. L.)—325(A)
Schiff, L. I. Deuteron photo-effect at high energies—321(A), 733
—— High energy deuteron break-up—83(A)
—— (see Rosenbluth, M. N.)—326(A)
Schild, A. and F. A. E. Pirani. On the quantization of Einstein's gravitational field equations—329(A)
Schiller, Ralph (see Bergmann, Peter G.)—329(A)
Schlier, Robert E. and H. E. Farnsworth. Studies of gas adsorption on the (100) face of a copper crystal by low speed electron diffraction—316(A)
Schoenberg, M. D. and F. R. Eirich. Molecular weights from flow birefringence and intrinsic viscosities—359(A)
Schulz, L. G. Growth of alkali halides onto single crystal substrates—638(A)
—— Intense multiple reflection of electrons—316(A)
Schwarz, Guenter (see Rogosa, George L.)—343(A)
Schweber, S. Note on commutators in quantized field theories—613
Schwinger, Julian. On the charge independence of nuclear forces—135
—— (see Borowitz, S.)—345(A)
Sciuti, S. (see Quercia, I. F.)—824(L)
Scott, Robert L. Crystal strain energy in solid solutions—317(A)
Scott, W. E. (see Robertson, B. E.)—318(A)
Scott, W. T. On a difference-equation method for solving diffusion equations in cosmic-ray shower theory and similar problems—323(A)
—— **and H. S. Snyder.** On scattering induced curvature for fast charged particles—223
Seaborg, G. T. (see Ghiorso, A.)—472(L)
—— (see Magnusson, L. B.)—363
—— (see Meinke, W. W.)—475(L)
—— (see Thompson, S. G.)—298(L)
Sears, W. R. Transonic flow—315(T)
Segal, Leon, Joseph J. Creely, and Carl M. Conrad. Rotating specimen mount for use with x-ray spectrometer in measuring crystalite orientation of cellulosic and other textile fibers—358(A)

Seitz, Frederick. Mechanism of plastic flow in single crystals—315(T)
—— Physicists in the cold war—315(T)
—— Statistics of luminescent crystal counters—638(T)
—— **and D. W. Mueller.** On the statistics of luminescent counter systems—605
Seliger, H. H. Saturation backscattering of positive electrons—491(L)
Senatore, Samuel J. Microwave absorption spectra of POF_3—293(L)
Senitzky, I. R. "High vacuum" cold cathode gaseous discharge. I—331(A)
Seriff, A. J., R. B. Leighton, C. Hsiao, E. W. Cowan, and C. D. Anderson. Cloud-chamber observations of the new unstable cosmic-ray particles—290
Serin, B. (see Reynolds, C. A.)—487(L)
——, **C. A. Reynolds, and L. B. Nesbitt.** Superconductivity of isotopes of mercury—813(L)
Setlow, R. B. and D. J. Fluke. Large water-prism monochromator—335(A)
Sette, D. On the structural absorption of ultrasonic waves in ethyl alcohol—476(L)
Sewell, D. C. (see Lofgren, E. J.)—85(A)
——, **W. M. Brobeck, E. O. Lawrence, and E. J. Lofgren.** Design of the bevatron quarter scale operating model—85(A)
Seyfert, C. K. (see DeWitt, J. H., Jr.)—643(A)
Shackelford, C. L. (see Ivey, H. F.)—356(A)
Shaffer, W. H. and R. A. Oetjen. Multi-layer optical interference filters—187(A)
Shapiro, E. Rate of disappearance of thoria from coated filaments—352(A)
—— **and C. E. Mandeville.** Radiations from the 33-hour cerium (143)—319(A)
Sharbaugh, A. Harry, Virginia G. Thomas, and Benjamin S. Pritchard. Determination of the dipole moment and molecular structure of fluorosilane—64(L)
Shaw, Charles B., Jr. (see Halpern, Otto)—88(A)
Shaw, John H. (see Chapman, Robert M.)—71(L), 333(A)
——, **M. L. Oxholm, and R. M. Chapman.** Fine structure of N_2O near 4.06μ in the solar spectrum—497(L)
Sherburne, Russell K. (see Landeen, Stanley A.)—351(A)
Sheriff, Robert E. (see Chambers, William H.)—640(A), 482(L)
——, **William H. Chambers, and Dudley Williams.** Nuclear magnetic moment of niobium^{93}—476(L)
Sherman, D. (see Hughes, D. J.)—632(L)
Shiren, N. S. (see Post, R. F.)—80(L), 81(L), 644(A)
Shockley, W. Energy band structures in semiconductors—173(L)
—— Germanium filament experiments—637(T)
—— Theories of high values of alpha for collector contacts on germanium—294(L)
—— (see Montgomery, H. C.)—646(A)
—— (see Pearson, G. L.)—295(L)
—— (see Read, W. T.)—275
—— (see Williams, H. J.)—341(A)
——, **H. J. Williams, and C. Kittel.** Dynamic experiments with a simple domain boundary in a ferromagnetic crystal—341(A)
Shull, C. G. Neutron diffraction studies of ferromagnetic and antiferromagnetic substances—638(T)
—— (see Koehler, W. C.)—640(A)
Shulman, R. G. and C. H. Townes. Microwave transitions between l-type doublets of HCN—347(A)
——, **C. H. Townes, and B. P. Dailey.** Molecular dipole moments and Stark effects. III. Dipole moment determinations—145
Siegbahn, Kai (see Slätis, Hilding)—498(L)
Siegert, A. J. F. On the probability distribution of recurrence times—328(A)
Silverman, A. (see Levinthal, C.)—199
—— **and C. Levinthal.** Measurement of protons produced in the synchrotron beam—87(A)
Simon, Albert. "Bremsstrahlung" in high energy nucleon-collisions—321(A)
Singer, S. F. (see Van Allen, J. A.)—819(L)
Sitte, Kurt. Hodoscope study of local cosmic-ray showers—323(A)
—— Hodoscope study of penetrating cosmic-ray showers I. Local showers—714
—— Hodoscope study of penetrating cosmic-ray showers II. Extensive showers—721
Skinner, Miriam. Fine structure of singly ionized helium—82(T)
—— (see Lamb, Willis E., Jr.)—539
Slater, J. C. Lorentz correction in barium titanate—748
—— Structure and polarization of atoms and molecules—315(T)
—— Theory of ferroelectricity—638(T)
Slätis, Hilding, Stefaan J. du Toit, and Kai Siegbahn. Disintegration scheme of In^{116}—498(L)
Slifkin, L. and W. Kauzmann. Unusual effect in the creep of zinc single crystals—631(L)
Smith, F. M., Walter H. Barkas, A. S. Bishop, Hugh Bradner, and Eugene Gardner. Meson mass measurements—86(A)
Smith, L. P. Principal processes in thermionic emission and electrical conductivity of BaO—352(T)
Smith, Lloyd, A. A. Garren, and L. R. Henrich. Theoretical discussion of the performance of the model bevatron—85(A)
Smith, W. V. (see Southern, A. L.)—639(A)
Smoluchowski, R. Behavior and properties of grain boundaries—315(T)
—— Recent work on diffusion—638(T)
—— Statistical theory of magnetic saturation in alloys—638(A)
—— (see Wu, T. L.)—468
Smyth, C. P. Relaxation phenomena in liquids and solids—315(T)
Snell, Arthur H., Frances Pleasonton, and R. V. McCord. Radioactive decay of the neutron—310(L), 317(A)
Snow, George. Cross section of $(n,2n)$ reactions near the threshold—322(A)
Snowdon, S. C. Excitation curve of protons in the reaction $F^{19}(d,p)F^{20}$—299(L), 337(A)
Snyder, Hartland S. Quantum electrodynamics: the self energy problem—98
—— Self-energies of electrons and photons—346(A)
—— (see Scott, W. T.)—223
Sommer, H. (see Hipple, J. A.)—332(A)
—— **and H. A. Thomas.** Detection of magnetic resonance by ion resonance absorption—806(L)
Southern, A. L., H. W. Morgan, G. W. Keilholtz, and W. V. Smith. Isotopic analysis of nitrogen by means of a microwave mass spectrograph—639(A)
Spencer, R. S. and G. D. Gilmore. Equation of state for high polymers—358(A)
——, **G. D. Gilmore, and R. M. Wiley.** Behavior of granulated polymers under pressure—358(A)
Spiers, J. A. On the γ—γ-angular correlation in Pd^{106}—75(L)
Spohr, D. A. (see Andrews, F. A.)—342(A)
Sproull, Robert L. Optical absorption in strontium oxide films—630(L)
Spruch, L. Space exchange magnetic moments in light nuclei—328(A)
Stambaugh, R. B. (see Ostroski, A. S.)—358(A)
Stammreich, H. Raman spectrum of bromine—79(L)
Standil, S. (see Pringle, R. W.)—303(L), 627(L)
Steele, M. C. Magnetic field penetration in superconducting lead—342(A), 791

—— Thermoelectromotive force of superconducting versus normal junctions of the same metal—308(L)
Steenland, M. J. (see de Klerk, D.)—476(L)
Steffen, R. M. (see Hart, R. J.)—334(A)
Steinberg, E. P. and L. E. Glendenin. Long-lived zirconium activity in fission—624(L)
Steinberger, Jack L. (see Chew, Geoffrey F.)—86(A), 497(L)
—— **and A. S. Bishop.** Detection of artificially produced photo-mesons with counters—493(L)
—— **and A. S. Bishop.** Detection of photo-mesons and the relative cross section of carbon and hydrogen for their production—319(A)
—— **and A. S. Bishop.** Preliminary results on the production of mesons by photons on carbon and hydrogen—494(L)
——, **W. K. H. Panofsky, and J. Steller.** Evidence for the production of neutral mesons by photons—802
Steller, J. (see Steinberger, J.)—802
Sternheimer, R. On the compressibility of metallic cesium—235
Stevenson, Donald T. and Martin Deutsch. Beta-gamma-angular correlations—640(A)
Stinchcomb, Thomas B. Large cosmic-ray bursts under thick absorbers at 11,500 feet elevation—321(A)
——.(see Forbush, Scott E.)—323(A)
Stix, T. (see Dwight, K.)—324(A)
—— (see Winckler, J. R.)—324(A)
——, **K. Dwight, R. Sabin, and J. R. Winckler.** Directional and latitude survey of cosmic rays at 95,000 feet. I. Experimental procedure—324(A)
Stoddard, A. E. (see Cork, J. M.)—95, 299(L), 304(L)
Strait, E. N., D. M. Van Patter, and W. W. Buechner. Alpha-particles from $F^{19}(p,\alpha)O^{16}$—337(A)
Strandberg, M. W. P. (see Weiss, M. T.)—202
Strauch, K. Transition curves in lead of x-rays, causing nuclear reactions. I. Experimental—84(A)
—— (see Helmholz, A. C.)—86(A)
Street, J. C. (see Brown, Frederick C.)—320(A)
—— (see Fowler, E. C.)—323(A)
—— (see Fowler, W. B.)—323(A)
Street, K., Jr. (see Thompson, S. G.)—298(L)
Strick, E. and D. ter Haar. Production of π-mesons by high energy electrons—68(L)
Strong, John (see Plass, Gilbert N.)—334(A)
Sturcken, Edward, Robert Heller, and Alfred H. Weber. Percent beta-ray transmission through thin windows—327(A)
Suhl, H. Measurements of magneto-resistance of germanium in very intense magnetic fields—646(A)
Sullivan, A. M. (see Kies, J. A.)—357(A)
Sullivan, W. F. (see Rouse, A. G.)—347(A)
Sun, H. and Harriet H. Forster. Nuclear disintegration under different absorbers—86(A)
Sun, Kuan-Han, F. A. Pecjak, R. A. Charpie, and J. F. Nechaj. Excitation function of $Ta^{181}(d,p)Ta^{182}$—338(A)
Sunyar, A. W. (see Scharff-Goldhaber, Gertrude)—325(A)
——, **D. E. Alburger, G. Friedlander, M. Goldhaber, and G. Scharff-Goldhaber.** Isomerism in Pb^{204} and radiations of Bi^{204} and Bi^{206}—326(A)
Sutton, R. B. (see Foss, M. H.)—641(A)
Suwa, S. Hyperfine structure of $4^1,^3F$-nG of the spectrum of Al II—810(L)
Swann, Charles P. (see Hereford, Frank L.)—727
——.(see Hudspeth, Emmett, L.)—337(A)
——, **C. E. Mandeville, and W. D. Whitehead.** Neutrons from deuterons on magnesium (25)—338(A)
Swann, W. F. G. Electrets—811(L)
—— Magnetic deviation of cosmic-ray particles in the atmosphere—243
—— Matters pertaining to the magnetic deviation of cosmic-ray particles in the atmosphere—324(A)
Swift, C. J. and W. M. Elsasser. True magnitude of the geomagnetic secular variation—64(L)
Taconis, K. W., J. J. M. Beenakker, and Z. Dokoupil. Measurements of the influence on the fountain effect of He^3 dissolved in He^4—171(L)
Taft, E. A. and J. E. Dickey. Optical absorption edge for BaO as determined by the method of Ives and Briggs—625(L)
Talbott, F. L. and A. Busala. Angular distribution of the alpha-particles from the $Li^7(p,\alpha)\alpha$ reaction—336(A)
Taschek, R. F. (see Argo, H. V.)—691
Taylor, T. B. and G. F. Chew. Energy and angular distribution of π-mesons produced by 350-Mev protons—86(A)
Taylor, W. E. and H. Y. Fan. D.c. characteristics of high resistance barriers at crystal boundaries in germanium—335(A)
Taylor, W. J. (see Holden, R. B.)—344(A)
——, **G. P. Koch, and H. L. Johnston.** Improved Wadsworth mounting for a concave grating spectrometer—343(A)
Tchen, Chan-Mou. Statistical theory of volume effect in a long chain molecule—336(A)
Teal, G. K. (see Bond, W. L.)—176(L)
—— **and J. B. Little.** Growth of germanium single crystals—647(A)
Teller, Edward. Application of magneto-hydrodynamics to cosmic-ray physics and geomagnetism—82(T)
Temperley, H. N. V. (see Buckingham, R. A.)—482(L)
Templeton, D. H. Half-life of Po^{208}—312(L)
ter Haar, D. (see Strick, E.)—68(L)
Thode, H. G. (see Macnamara, J.)—129, 307(L)
Thomas, D. G. (see Dale, E. B.)—640(A)
Thomas, H. A. Regulation of large electromagnets using proton resonance—339(A)
—— (see Driscoll, R. L.)—339(A)
—— (see Hipple, J. A.)—332(A)
—— (see Sommer, H.)—806(L)
——, **R. L. Driscoll, and J. A. Hipple.** Measurement of the proton moment in absolute units—787
Thomas, J. E., Jr. (see Kraushaar, W. L.)—486(L)
Thomas, R. G. (see Lauritsen, T.)—88(A)
—— **and T. Lauritsen.** Gamma-radiation from C^{13} d—88(A)
Thomas, Virginia G. (see Sharbaugh, A. Harry)—64(L)
Thompson, S. G. (see Magnusson, L. B.)—363
——, **K. Street, Jr., A. Ghiorso, and G. T. Seaborg.** Element 98—298(L)
Thorndike, A. M. and A. W. Wotring. Stars and showers at balloon altitudes—473(L)
Tisza, L. Theory of superconductivity—342(A)
Tittle, Charles W. (see Goodman, Clark)—640(A)
Tobolsky, A. V. Static and dynamic viscosities of amorphous polymers—315(T)
—— (see Andrews, R. D.)—357(T)
Tollestrup, A. V. (see Chao, C. Y.)—88(A)
——, **W. A. Fowler, and C. C. Lauritsen.** Nuclear mass determinations from nuclear Q-values—372
Tomita, Kazuhisa (see Nakajima, Sadao)—768
Towler, O. A., Jr. and C. L. Oxley. Magnetic deflection method for observing proton-proton scattering at 250 Mev—326(A)
Townes, C. H. (see Autler, S. H.)—340(A)
—— (see Geschwind, S.)—174(L)
—— (see Kisliuk, P.)—347(A)
—— (see Shulman, R. G.)—145, 347(A)
—— **and B. P. Dailey.** Nuclear quadrupole coupling and ionic character of molecules—346(A)
Truesdell, C. Effect of the compressibility of the earth on its magnetic field—823(L)
Twersky, Victor. On the non-specular reflection of sound—332(A)

Tyler, Winfield W. Photo-conductivity and optical absorption in BaO crystals—315(T)

Ullman, Robert (see Riseman, Jacob)—359(A)
Usui, Tunemaru (see Nakajima, Sadao)—768

Valente, Frank A. Possible existence of a constant third-order difference among the nuclear magic numbers—77(L)
Van Allen, J. A. and A. V. Gangnes. Cosmic-ray intensity above the atmosphere at the geomagnetic equator—50
—— **and S. F. Singer.** On the primary cosmic-ray spectrum—819(L)
van der Ziel, A. (see Hartz, T. R.)—473(L)
Van Dyke, Karl S. Motional capacitance of AT-cut quartz resonators—642(A)
—— Status of the measurement of the properties of some piezoelectric crystals—315(A)
Van Patter, D. M. (see Strait, E. N.)—337(A)
Van Vleck, J. H. Concerning the theory of ferromagnetic resonance absorption—266
Vedam, K. Elastic and photoelastic constants of fused quartz—472(L)
Vidale, M. L. and Marcel Schein. Measurement of the cosmic-ray intensity as a function of altitude at a geomagnetic latitude of 28 degrees—325(A)
von Hippel, A. Dielectrics in electrical engineering—315(T)
—— Research on ferroelectricity—638(T)
Von Weiszaecker, C. F. Turbulence and the evolution of spiral nebulae—315(T)
Voorhies, H. G. (see Jones, W. B.)—60

Wachtell, G. P. Refraction effect in interferometry of boundary layer of supersonic flow along flat plate—333(A)
Waggoner, M. A., M. L. Moon, and A. Roberts. Internal conversion coefficients for Co^{60}—295(L)
Wahlig, C. F. (see Russell, B. R.)—645(A)
Walker, W. H. (see Kinsey, B. B.)—77(L), 481(L)
Wangsness, Roald K. Nuclear magnetic moments and shell structure—620(L)
—— (see Bloch, F.)—82(A)
Wannier, G. H. On the triangular Ising net—341(A)
Wantuch, E. Scattering of 4.5 and 5.5 Mev neutrons by deuterons—326(A)
Warburton, F. W. Constant-mass electron in uniform fields—93(A)
Ward, A. L. (see Breckenridge, R. G.)—315(A)
Ward, J. C. Identity in quantum electrodynamics—182(L)
Warren, B. E. Order and disorder in alloys—638(T)
—— (see Averbach, B. L.)—644(A)
Watson, K. M. (see Brueckner, K. A.)—495(L)
Watson, W. W. (see Manning, Thurston, E.)—417
—— (see Zucker, A.)—14, 338(A)
—— **and C. E. Anderson.** Isotope shift in the lines of Pb I—343(A)
Webber, R. T. (see Andrews, F. A.)—342(A)
Weber, Alfred H. (see McGannon, J.)—317(A)
—— (see Sturcken, Edward)—327(A)
Weber, N. E. (see Green, L. C.)—343(A)
Wedding, J. W. (see Haynes, S. K.)—641(A)
Weimer, D. K. (see Fletcher, C. H.)—634(L)
Weinberg, A. M. Role of physics in current atomic energy development—648(T)
Weinreich, O. A. Thermal emissivity changes of thoria-coated tungsten filaments—337(A)
Weinstein, M. (see Bohm, D.)—346(A)
Weir, C. E., W. H. Leser, and L. A. Wood. Crystallization and second-order transitions in silicon rubbers—357(A)
Weiss, M. T., M. W. P. Strandberg, R. B. Lawrence, and C. C. Loomis. On the nuclear spin of B^{10}—202
Weissbluth, Mitchel. Measurement of production of positive and negative π-mesons in lead by 345-Mev protons—86(A)
Weissler, G. L. (see Eggleston, R. R.)—91(A)
Wert, Charles. Diffusion of C in α-iron—639(A)
West, W. J. (see Lind, D. A.)—474(L)
Wexler, Aaron and W. S. Corak. Magnetic properties of a rotating superconductor—260
Weyl, W. A. Rheological properties of glass—315(T)
Whaling, Ward and J. W. Butler. Neutrons from the bombardment of Li^6 by deuterons—72(L)
White, Gladys R. Co-60 γ-ray penetration through large masses of water—330(A)
White, R. Stephen (see Jones, Stanley B.)—12
—— (see Peterson, Jack M.)—84(A)
——, **Edwin M. McMillan, and Jack M. Peterson.** Production of mesons by x-rays, part I: experimental method—84(A)
White, William C. (see Yagoda, Herman)—330(A)
Whitehead, M. N. (see Cartwright, W. F.)—823(L)
Whitehead, W. D. (see Swann, C. P.)—338(A)
—— **and N. P. Heydenburg.** Proton groups from the deuteron bombardment of aluminum, sodium, and manganese—338(A)
—— **and C. E. Mandeville.** Neutrons from the disintegration of beryllium by deuterons—337(A)
Whitmore, B. G. and W. B. Baker. Energy spectrum of neutrons from a Po-Be source—799
Whyte, G. N. Cosmic-ray bursts at high altitudes—321(A)
—— Evidence from cosmic-ray bursts for a nuclear cascade process—630(L)
Wiedenbeck, M. L. (see Williams, A. H.)—822(L)
Wiederhorn, Norman M. and Gerald V. Reardon. Stress-strain behavior of thermally shortened collagen tendons—359(A)
Wiegand, C. and O. Chamberlain. Proton-proton scattering at 340 Mev—326(A)
Wilcox, H. A. (see Cartwright, W. F.)—823(L)
—— (see Richman, C.)—85(A), 496(L)
—— **and C. Richman.** Experiment for measuring heavy meson production by high energy particles—85(A)
Wiley, R. M. (see Spencer, R. S.)—358(A)
Williams, A. H. and M. L. Wiedenbeck. Correlation in the direction and polarization of two successive quanta for Rh^{106}, Co^{60}, and Cs^{134}—822(L)
Williams, Dudley (see Chambers, William H.)—482(L), 640(A)
—— (see Chapman, Robert M.)—333(A)
—— (see Pietenpol, W. J.)—480(L)
—— (see Sheriff, Robert E.)—476(L)
Williams, H. J. Recent experiments on ferromagnetic domains and domain walls—638(T)
—— (see Shockley, W.)—341(A)
—— **and W. Shockley.** Memory in simple ferromagnetic domain crystal—341(A)
Williams, J. H. (see Freier, G.)—508
Williams, Paul D. Investigation of contaminants in vacuum tubes—353(A)
Wilson, A. R. W. (see Rose, B.)—68(L)
Winckler, J. R. (see Dwight, K.)—324(L)
—— (see Stix, T.)—324(A)
——, **K. Dwight, R. Sabin, and T. Stix.** Directional and latitude survey of cosmic rays at 95,000 feet. III. Interpretation of azimuthal and zenithal data—324(A)
Winston, Harvey. Explanation for "extra levels" in rare earth crystal spectra—316(A)
Witmer, Enos E. Integral expressions for nuclear magnetic moments—352(A)
—— Integral relationships between atomic and nuclear quantities—330(A)
—— Integral relationships between nuclear masses and the electron mass—641(A)

Wolfenstein, L. Statistical theory and the angular distribution of nuclear reactions—322(A)
Wolfson, J. L. Energies of some gamma-rays from ThC″, RaC, and Na^{24}—176(L)
Wollan, E. O. (see Koehler, W. C.)—640(A)
Wood, L. A. (see Weir, C. E.)—357(A)
Woodcock, Karl S. (see Duckworth, Henry E.)—479(L)
Woodcock, Richard F. (see Duckworth, Henry E.)—386
Workman, E. J. and S. E. Reynolds. Electrical phenomena occurring during the freezing of dilute aqueous solutions and their possible relationship to thunderstorm electricity—254
Worth, Donald C. Recoil coincidence-absorption measurement of neutron spectra from the reactions $A^{40}(d,n)$ and $N^{15}(d,n)$—378
Wotring, A. W. (see Thorndike, A. M.)—473(L)
Wouthuysen, Siegfried A. (see Foldy, Leslie L.)—29, 345(A)
Wright, Byron T. and F. E. Faris. Proton-proton scattering at 12.4 Mev.—89(A)
Wright, D. A. Electrical conductivity of oxide cathode coatings—355(A)
Wright, R. E. (see Livingston, R. S.)—329(A)
Wright, W. H. (see Reynolds, C. A.)—487(L)
Wu, C. S. Recent investigations on the shapes of beta-ray spectra—315(T)
—— (see Feldman, L.)—318(A)
—— (see Lidofsky, L. J.)—318(A)
—— (see Macklin, P. A.)—318(A)
Wu, T. L. and R. Smoluchowski. New criterion for the occurrence of slip in thin single crystals—468
Wu, Ta-You (see Moses, H. E.)—333(A)
Wyrick, Ralph and Henry Levinstein. Thermoelectric voltage in lead telluride—304(L)
Yaffe, L. (see Grunlund, Jean M.)—69(L)
Yagoda, Herman, Hervasio G. de Carvalho, and Nathan Kaplan. Stars and heavy primaries recorded during a V-2 rocket flight—765
—— **and William C. White.** Ratio of N^{15}/N^{14} in gases occluded in radioactive minerals—330(A)
Yanagisawa, S. T. and T. H. Rogers. Experimental use of thoria cathodes in high voltage rectifier tubes—353(A)
Yeater, M. L. (see Gaerttner, E. R.)—621(L)
Yevick, G. J. Relativistic model of a finite-sized electron—345(A)
York, Herbert F. (see Crandall, W. E.)—89(A)
—— (see Panofsky, Wolfgang K. H.)—89(A), 825(L)
Yu, F. C. (see Proctor, W. G.)—83(A), 471(L)
Yuan, Luke C. L. Measurements on the latitude effect of the neutron component of cosmic radiation at high altitudes—325(A)
Yuster, Philip (see Pringsheim, Peter)—293(L)

Zatzkis, Henry (see Bergmann, Peter G.)—329(A)
Zeiger, H., D. Bolef, and I. I. Rabi. Molecular beam spectrum of $TlCl^{35}$ and $TlCl^{37}$ at zero fields—340(A)
Zemansky, M. W. (see Boorse, H. A.)—635(A)
—— (see Cook, D. B.)—343(A), 820(L)
Zener, C. Internal friction in solids—315(T)
—— Ring diffusion in metals—638(T)
Zimm, Bruno H. Study of high polymer molecules by light scattering—82(T)
Zimmerman, E. L. (see Dale, E. B.)—640(A)
Zucker, A. and W. W. Watson. *d-p* reactions with separated neon isotopes—338(A)
—— **and W. W. Watson.** Protons from the deuteron bombardment of separated neon isotopes—14

Analytic Subject Index to Volume 78

References with (A) are to abstracts of papers presented at meetings of the American Physical Society. References with (L) are to Letters to the Editor.

Absorption coefficient
Of Si, infra-red, H. Y. Fan and M. Becker—178(L)
Absorption and reflection of radiation (see also **Spectra, absorption**)
Of LiF at low temperature, Peter Pringsheim and Philip Yuster—293(L)
Reflection coefficients from variational principle, G. Toraldo di Francia—298(L)
Acoustics
Absorption of ultrasonic waves in ethyl alcohol, D. Sette—476(L)
Echo effect from release of stored wave train, Louis Gold—332(A)
Non-specular reflection, Victor Twersky—332(A)
Scattering analysis by variational methods, Alfred Levitas—333(A)
Ultrasonic wind, Francis E. Fox and Karl F. Herzfeld—156
Adsorption
In Cu, study by electron diffraction, Robert E. Schlier and H. E. Farnsworth—316(A)
On metals, radioactive tracer method, Albert D. Crowell and H. E. Farnsworth—351(A)
Alloys (see **Crystalline state**)
Astrophysics
Absorption bands of N_2O in solar spectrum, J. H. Shaw, M. L. Oxholm, and R. M. Chapman—497(L)
Polarized waves in sun's atmosphere, escape into space, V. A. Bailey—428
Na *D*-lines during twilight, origin, R. Penndorf—66(L)
Supernovae, mechanism of, L. B. Borst—807(L)
Temperature in accreting planet, A. E. Benfield—334(A)
Atomic and molecular beams
Molecular beam resonance method, separated oscillating fields, Norman F. Ramsey—695
Atomic mass (see **Isotopes**)
Atomic structure (see also **Energy states of atoms; Spectra**)
Configuration interactions in Pb III, J. N. P. Hume and M. F. Crawford—343(A)

Biophysics
d and α—bombardment of enzymes and viruses, Ernest Pollard and F. Forro, Jr.—335(A)
Electron scattering in tissue, reduction, W. H. Bostick—327(A)
Infra-red spectra of fibrous protein, Martin Goldstein and Ralph S. Halford—336(A)
Neutron dosage given to tissue, G. S. Hurst—640(A)
Range of α-particles in water and ice, H. G. de Carvalho—330(A)
Shapes and hydrations of protein molecules, W. W. Beeman, Paul Kaesberg, and H. N. Ritland—336(A)
Ultraviolet irradiation of viruses, Donald J. Fluke—335(A)
Water-prism monochromator, R. B. Setlow and D. J. Fluke—335(A)
Bremsstrahlung
Nucleon-nucleon collisions, Albert Simon—321(A)

Chemical reactions
Surface reactions at low pressures, Stanley A. Landeen, H. E. Farnsworth, and Russell K. Sherburne—351(A)
Colloids (see also **Polymerization, properties of polymers**)
Interionic forces near high potential surfaces, Arthur L. Loeb—350(A)
Compressibility
Of Ce, volume discontinuity, R. Sternheimer—235
Compton effect (see **Scattering of radiation**)
Conductivity, electrical (see **Electrical conductivity; Discharge of electricity in gases**)
Constants, physical standards
Integer constants, Enos E. Witmer—330(A)
Cosmic radiation
Altitude effect, latitude effect of hard component, M. L. Vidale and Marcel Schein—325(A)
Bursts at high altitudes, G. N. Whyte—321(A)
Bursts in chambers of different materials, Harold W. Lewis—483(L)
Bursts under absorbers at 11,500 feet, Thomas B. Stinchcomb—321(A)
Cascade process, G. N. White—630(L)
Directional and latitude survey of cosmic rays at 95,000 ft.—method, T. Stix, K. Dwight, R. Sabin, and J. R. Winckler—324(A); Vertical flux data, K. Dwight, R. Sabin, T. Stix, and J. R. Winckler—324(A); Azimuthal and zenithal data, J. R. Winckler, K. Dwight, R. Sabin, and T. Stix—324(A)
Disintegrations at 11,000 meters, H. H. Forster—247
Diurnal variation and solar magnetic moment, Kirby Dwight—40
Energy transfer to nucleons, M. F. Kaplon, B. Peters, and H. L. Bradt—680
Extensive showers under water, W. B. Fretter and John Ise, Jr.—92(A)
Geomagnetic effects, H. V. Neher—674
Heavy nuclei in stratosphere at night, J. J. Lord and Marcel Schein—484(L)
Intensity above atmosphere at equator, J. A. Van Allen and A. V. Gangnes—50
Intensity following a solar flare, James W. Broxon and Howard W. Boehmer—411
Intensity increase on 11/19/49, D. C. Rose—181(L); Scott E. Forbush, Thomas B. Stinchcomb, and Marcel Schein—323(A)
Latitude and longitude effects in U.S. and Canada at 30,000 ft., A. T. Biehl and H. V. Neher—172(L)
Latitude effect of the neutron component, high altitudes, Luke C. L. Yuan—325(A)
Local penetrating showers, Kurt Sitte—714
Magnetic deflection of mesons, nuclear plates, Ian Barbour—319(A), 518
Magnetic deviation in the atmosphere, W. F. G. Swann—243, 324(A)
Mass measurements, analysis, T. C. Merkle, Jr., E. L. Goldwasser, and R. B. Brode—92(A)
Non-existence of permanent solar magnetic field, Martin A. Pomerantz—325(A)
Penetrating extensive showers, Kurt Sitte—721
Penetrating showers in C, production, John R. Green and W. B. Fretter—92(A)
Phenomena in thick emulsions, Pierre Demers—320(A)
Positive and negative excess of penetrating component, I. F. Quercia, B. Rispoli, and S. Sciuti—824(L)
Primary spectrum above atmosphere, J. A. Van Allen and S. F. Singer—819(L)
Radio stars as source, H. Alfvén and N. Herlofson—616(L)
Ratio of positive to negative particles at 3650 meters, R. B. Brode—92(A)
Shower energy as function of collision cross section, K. Sitte—323(A)

Shower theory diffusion equations, W. T. Scott—323(A)
Showers in cloud chamber, E. C. Fowler, J. C. Street, W. B. Fowler, and R. D. Sard—323(A)
Showers in emulsions—data, L. S. Osborne, B. T. Feld, and I. L. Lebow—324(A); Theory of meson production, B. T. Feld, I. L. Lebow, and L. S. Osborne—323(A)
Star and meson production rates, dependence on absorbers, Marietta Blau, John Nafe, and Herbert Bramson—320(A)
Star production rate, solar flare, J. J. Lord and Marcel Schein—321(A)
Stars and heavy primaries, rocket flight, Herman Yagoda, Hervasio G. de Carvalho, and Nathan Kaplan—765
Stars and showers at balloon altitudes, A. M. Thorndike and A. W. Wotring—473(L)
Stars, slow protons studied with AgCl crystal, Frederick C. Brown and J. C. Street—320(A)
Stopped particles in cloud chamber, W. B. Fowler, R. D. Sard, E. C. Fowler, and J. C. Street—323(A)
Sun as origin, K. O. Kiepenheuer—809(L)
Underground data, Kenneth Greisen—65(L); C. A. Randall—320(A)
Unstable particles, cloud-chamber observations, A. J. Seriff, R. B. Leighton, C. Hsiao, E. W. Cowan, and C. D. Anderson—290

Cross section, measurements, theory (see also **Scattering of electrons, mesons, protons, neutrons, and ions**)
Of C, O, Mg, Si, and S for fast neutrons, G. Freier, M. Fulk, E. E. Lampi, and J. H. Williams—508
Of $C^{12}(p,pn)C^{11}$ reaction, Lee Aamodt, Vincent Peterson, and Robert Phillips—87(A)
For (γ,n) reactions, A. C. Helmholz and K. Strauch—86(A)
Neutron cross sections and nuclear shells, D. J. Hughes and D. Sherman—632(L)
$(n,2n)$ reactions near threshold, George Snow—322(A)
Nuclear photo-effect, dipole transitions, J. S. Levinger and H. A. Bethe—115
For photons for p-nucleon collision, W. E. Crandall, B. J. Moyer, and H. F. York—89(A)

Crystal structure
Anisotropy of Fe_3O_4, L. R. Bickford, Jr.—342(A)
Of barium titanate, A. de Bretteville, Jr. and G. Katz—340(A)
Crystallization, second-order transitions in Si rubbers, C. E. Weir, W. H. Leser, and L. A. Wood—357(A)
Growth of alkali halides, L. G. Schulz—638(A)
Lattice defects due to neutron bombardment, J. H. Crawford, Jr. and K. Lark-Horovitz—645(A)
Martensite transformation in iron-carbon alloys, J. S. Bowles—639(A)
Oriented overgrowth of alkali halides, Gerald W. Johnson—316(A)
Transformation in Li-Mg alloys, C. S. Barrett and D. F. Clifton—639(A)
Of ZnO, lattice constants, J. McGannon, R. Heller, and A. H. Weber—317(A)

Crystalline state
Adsorption in Cu crystal, Robert E. Schlier and H. E. Farnsworth—316(A)
Anelastic effects in ionic crystals, R. G. Breckenridge and A. L. Ward—315(A)
Anelastic effects in quartz crystals, Richard K. Cook and Robert G. Breckenridge—315(A)
Anisotropy and g-factor of magnetite, L. R. Bickford, Jr.—449
$BaTiO^3$ under hydrostatic pressure, W. J. Merz—52, 341(A)
Color centers in quartz due to x-rays, Guy Forman—644(A)
Creep of Zn crystals, L. Slifkin and W. Kauzmann—631(L)
Decay times of scintillation phosphors, S. H. Liebson and J. O. Elliot—65(L)
Diffusion of C in α-iron, Charles Wert—639(A)
Domain wall velocity, W. Shockley, H. J. Williams, and C. Kittel—341(A)
Electrical effects of freezing of dilute solutions, E. J. Workman and S. E. Reynolds—254
Energy band structures in semiconductors, W. Shockley—173(L)
"Extra levels" in rare earth spectra, Harvey Winston—316(A)
Ferroelectric behavior, theoretical model, P. W. Anderson—341(A)
Ferromagnetic resonance absorption, theory, J. H. Van Vleck—266
Ge alloys produced by transmutation, J. Cleland, K. Lark-Horovitz, and J. C. Pigg—645(A)
Ge filament cuts, W. L. Bond—646(A)
Ge P-N barriers as counters, C. Orman, H. Y. Fan, G. J. Goldsmith, and K. Lark-Horovitz—646(A)
Grain boundary dynamics, dislocation models, W. T. Read and W. Shockley—275
Grain boundary energies from anisotropic dislocation theory, W. T. Read—350(A)
Growth of Ge crystals, G. K. Teal and J. B. Little—647(A)
Impedance of grain boundaries in Ge, N. H. Odell and H. Y. Fan—334(A)
Interaction between paramagnetic ions, Norman Elliott—341(A)
Interfacial energies *vs.* tensions, John P. Nielsen—350(A)
Internal friction in cold worked Al-Cu alloys, T'ing-Sui Kê—420
Magnetic and electric properties of magnetite, C. A. Domenicali—458
Memory in ferromagnetic domain crystal, H. J. Williams and W. Shockley—341(A)
Multiple reflection of electrons, L. G. Schulz—316(A)
Noise in Ge due to hole fluctuations, H. C. Montgomery and W. Shockley—646(A)
Optical band width of F centers at low temperature, E. Burstein and J. J. Oberly—349(A)
Optical glasses in infra-red, R. Frerichs—643(A)
Oxidation of copper, T. N. Rhodin, Jr.—638(A)
Partition function of a two-dimensional Ising lattice, G. F. Newell—444
Permeation of H through Zr, R. B. Bernstein and Daniel Cubicciotti—639(A)
Photoelectric work function of Ag film, Edward Kelly, H. E. Farnsworth, and Edward N. Clarke—316(A)
Of photolytic Ag in AgBr, growth mechanism, Chester R. Berry and Robert L. Griffith—317(A)
Piezoelectric coefficient of $BaTiO_3$, M. E. Caspari—341(A)
Piezoelectric constants, Karl S. Van Dyke—315(A)
Pulse-annealing method for changes in properties on heat treatment, N. S. Rasor and W. E. Parkins—638(A)
Recrystallization purification of germanium, R. N. Hall—645(A)
Slip in thin single crystals, T. L. Wu and R. Smoluchowski—468
Specific heat of non-metallic ferrites, T. R. McGuire and Louis N. Howard—342(A)
Specific heats in paramagnetic salts at low T, B. Bleaney—214
Stilbene and anthracene scintillations, decay time, R. F. Post and N. S. Shiren—80(L)
Strain energy in solid solutions, Robert L. Scott—317(A)
Stress in evaporated metal films and distortion decay, E. C. Crittenden, Jr. and R. W. Hoffmann—349(A)
Stresses in evaporated metal films, R. W. Hoffman and E. C. Crittenden, Jr.—349(A)
Surface states, effect on Fermi level of semiconductor, Paula Feuer and Hubert M. James—645(A)
Temperature instability of Ge, G. T. Jacobi and W. C. Dunlap, Jr.—349(A)

Crystalline state (continued)
Trapping in ZnS-type phosphors, Richard H. Bube—349(A)
Triangular net applied to antiferromagnetism, G. H. Wannier—341(A)
Vibrations of structure of diamond, Si, and Ge, E. Burstein and John J. Oberly—642(A)
Volume discontinuity of Ce, R. Sternheimer—235

Diffraction of radiation
Patterns in the planes of circular apertures, C. L. Andrews—344(A)

Diffusion (see also **Thermal diffusion**)
Of C in α-iron, Charles Wert—639(A)
Of imprisoned resonance radiation, Frank N. Edmonds, Jr.—424
Permeation of H through Zr, R. B. Bernstein and Daniel Cubicciotti—639(A)

Discharge of electricity in gases
Avalanche transformation during breakdown, G. M. Petropoulos—250
Cathode temperature in glow discharge, Harold Jacobs and Jack Martin—331(A)
Cold cathode low pressure discharge, I. R. Senitzky—331(A)
Corona discharge, gap forms, electrostatic field in gap, L. B. Loeb, J. H. Parker, E. E. Dodd, and W. N. English—91(A)
Corona in dried air, point-to-plane, H. W. Bandel—91(A)
Electrical charge on dust particles, W. B. Kunkel—91(A)
Electron avalanche formation, Edward E. Dodd—620(L)
Electron density, emission spectrum in metal vapor afterglows, P. Dandurand and R. B. Holt—331(A)
Formative time lags of spark breakdown in air, B. Bederson and L. H. Fisher—331(A); L. H. Fisher and B. Bederson—331(A)
Holes and retrograde arc spot motion, Jerome Rothstein—331(A)
Hg arc temperature, Carl Kenty—626(L)
Hg arc temperature by x-rays, C. Kenty and W. J. Karash—625(L)

Disintegration and excitation of nucleus (see also **Photodisintegration; Radioactivity**)
Absorption of π^--mesons in hydrogen, gamma-rays, Wolfgang K. H. Panofsky, Lee Aamodt, and Herbert F. York—825(L)
Of Al, Na, Mg, proton groups, W. D. Whitehead and N. P. Heydenburg—338(A)
Of Al^{27} by α, proton groups, H. H. Landon—338(A)
Angular correlation in $B^{10}(n,\alpha)Li^{7*}(\gamma)Li^7$, B. Rose and A. R. W. Wilson—68(L)
Angular distribution of α-rays from $Li^7(p,\alpha)\alpha$, F. L. Talbott and A. Pusala—336(A)
Angular distribution, momentum conservation requirements, L. Wolfenstein—322(A)
Of Be by d, levels of B^{10}, W. D. Whitehead and C. E. Mandeville—337(A)
Of C by high energy particles, Lee Aamodt, Vincent Peterson, and Robert Phillips—87(A)
Of C and Al by p, C. Levinthal, E. A. Martinelli, and A. Silverman—199
Of C^{14} by d, Emmett L. Hudspeth and Charles P. Swann—337(A)
Of Ce^{131}, metastable Xe^{131}, Lin-Sheng Cheng and J. D. Kurbatov—319(A)
Cosmic-ray reactions at 11,000 meters, H. H. Forster—247
Of deuteron at high energy, L. I. Schiff—83(A)
d induced reactions, M. S. Livingston, K. Boyer, H. E. Gove, J. A. Harvey, and M. Deutsch—344(A)
(d,p) reactions, angular distributions of protons, Harry E. Gove—345(A)
(d,p) reactions, neutron binding energies from Q-values, J. A. Harvey—345(A)
(d,p) reactions, p energy spectrum, Keith Boyer—345(A)
d-p reactions with separated Ne isotopes, A. Zucker and W. W. Watson—338(A)
Energy of neutrons from $Be^9(\alpha,n)C^{12}$, C. E. Bradford and W. E. Bennett—302(L)
Excited states of Li^7, D. R. Inglis—104
Of F^{19} by d, excitation curve for protons, S. C. Snowdon—337(A)
Of F^{19} by p, α-groups, E. N. Strait, D. M. Van Patter, and W. W. Buechner—337(A)
Of F^{19}, Q-value of α-particles, C. Y. Chao, A. V. Tollestrup, W. A. Fowler, and C. C. Lauritsen—88(A)
Gamma-rays, angular correlation, E. L. Brady and M. Deutsch—558
Gamma-rays from $Be^9(\alpha,n)$, R. W. Pringle, K. I. Roulston, and S. Standil—627(L)
γ-rays from meson absorption, W. K. H. Panofsky and H. F. York—89(A)
Isomeric transition energies, Richard L. Caldwell—407
Of Li by α-particles, proton groups, William O. McMinn, M. B. Sampson, and M. Loren Bullock—296(L)
Of Li^6 by d, neutron energies, Ward Whaling and J. W. Butler—72(L)
Of Li^7 by p, neutron energy, Bernard Hamermesh and Virginia Hummel—73(L)
Of Mg^{25} by d, neutron groups, C. P. Swann, C. E. Mandeville, and W. D. Whitehead—338(A)
Masses from Q-values, A. Tollestrup, W. A. Fowler, and C. C. Lauritsen—372
Neon isotopes bombarded by deuteron, masses of isotopes, A. Zucker and W. W. Watson—14
Neutron production by 50-Mev x-rays, G. C. Baldwin and F. R. Elder—76(L)
Neutron spectra from reactions $A^{40}(d,n)$ and $N^{15}(d,n)$, Donald C. Worth—378
Of nuclei by π^--mesons, W. Cheston and L. Goldfarb—320(A)
Photo-neutron production, E. der Mateosian and M. Goldhaber—326(A)
Photons, from p-nucleon collision, yield, energy, W. E. Crandall, B. J. Moyer, and H. F. York—89(A)
By π^--mesons, W. B. Cheston and L. J. B. Goldfarb—683
Polarization-direction correlation of successive gamma-rays, Franz Metzger and Martin Deutsch—551
Protons from D-D reaction at 10 Mev, angular distribution, H. A. Leiter, F. A. Rodgers, and P. G. Kruger—663
Protons from $F^{19}(d,p)F^{20}$, S. C. Snowdon—299(L)
Spallation of Sb, M. Lindner and I. Perlman—499
Of Sr^{87}, Y^{87} isomers, B. E. Robertson, W. E. Scott, and M. L. Pool—418(A)
Of Ta by d, neutron spectrum, R. A. Peck, Jr.—338(A)
Of Ta^{181}, excitation function, yields, Kuan-Han Sun, F. A. Pecjak, R. A. Charpie, and J. F. Nechaj—338(A)
Transitions to ground states, slow neutron capture, B. B. Kinsey, G. A. Bartholomew, and W. H. Walker—481(L)
$T^3(p,\gamma)He^4$ reaction, H. V. Argo, H. T. Gittings, A. Hemmendinger, G. A. Jarvis, and R. F. Taschek—691

Elasticity
Of Ce, volume discontinuity, R. Sternheimer—235
Constants of fused quartz, K. Vedam—472(L)
Creep of Zn crystals, L. Slifkin and W. Kauzmann—631(L)
Of Ge crystals, W. L. Bond, W. P. Mason, H. J. McSkimin, K. M. Olsen, and G. K. Teal—176(L)
Stress in evaporated metal films and distortion decay, E. C. Crittenden, Jr. and R. W. Hoffman—349(A)
Stresses in evaporated metal films, R. W. Hoffman and E. C. Crittenden, Jr.—349(A)

Transition to plasticity, M. L. Huggins—336(A)
Vibrations of crystalline plate, Shepard Bartnoff, Charles R. Mingins, and Joseph F. Clayton—316(A)

Electrets
"Heterocharge" of wax, A. D. Franklin—342(A)
Ohmic conductivity, W. F. G. Swann—811(L)

Electrical conductivity and resistance
Of (Ba-Sr)O cathodes, F. K. du Pré, R. A. Hutner, and E. S. Rittner—355(A), 573
Of barriers at boundaries in Ge, W. E. Taylor and H. Y. Fan—335(A)
Ceramic heaters and cathodes, T. R. Palumbo—356(A)
Collector contacts on Ge, values of α, W. Shockley—294(L)
Of Cb, superconductivity, D. B. Cook, M. W. Zemansky, and H. A. Boorse—820(L)
Of Cu and Al, cold-working effect, J. W. Rutter and James Reekie—70(L)
Energy gap in semiconductors, temperature dependence, H. Y. Fan—808(L)
Fast neutron bombardment effects in Ge, J. H. Crawford, Jr. and K. Lark-Horovitz—815(L)
Flux in a superconducting torus, R. L. Dolecek and Jules de Launay—58
Of Ge, changes due to α-particle bombardment, W. H. Brattain and G. L. Pearson—646(A)
Of Ge, transmutation-produced, J. W. Cleland, K. Lark-Horovitz, and J. C. Pigg—814(L)
Hall coefficients of semiconductors, rapid determination, B. R. Russell, P. H. Miller, Jr., and C. F. Wahlig—645(A)
Impedance of grain boundaries in Ge, N. H. Odell and H. Y. Fan—334(A)
Magneto-resistance of Ge, G. L. Pearson—646(A); H. Suhl—646(A)
Mobility anomalies in Ge, G. L. Pearson, J. R. Haynes, and W. Shockley—295(L)
Nucleon-bombarded silicon, K. Lark-Horovitz, M. Becker, R. E. Davis, and H. Y. Fan—334(A)
Of oxide cathode coatings, D. A. Wright—355(A)
Of polycrystalline graphite, dependence on temperature, S. Mrozowski—644(A)
Random-circuit theory of resistance and noise, R. P. Coleman—644(A)
Rectifier as a thermodynamical demon, L. Brillouin—627(L)
Of rotating and stationary superconductors, equivalent magnetic properties, Aaron Wexler and W. S. Corak—260
Of semiconductors with acceptor and donator impurity levels, C. S. Hung and V. A. Johnson—335(A)
Of sintered thoria, W. E. Danforth and F. H. Morgan—353(A)
Superconducting lead, field penetration, M. C. Steele—791
Superconductivity of lead, H. A. Boorse, D. B. Cook, and M. W. Zemansky—635(L)
Superconductivity of isotopes of Hg, B. Serin, C. A. Reynolds, and L. B. Nesbitt—813(L); C. A. Reynolds, B. Serin, W. H. Wright, and L. B. Nesbitt—487(L)
Superconductivity of mercury, Emanuel Maxwell—477(L)
Superconductivity theory, L. Tisza—342(A)
Temperature instability of Ge, G. T. Jacobi and W. C. Dunlap, Jr.—349(A)
Thermionic emission, contact potential difference, William J. Price—354(A)
Of ZnO, E. E. Hahn and P. H. Miller, Jr.—348(A); P. H. Miller, Jr. and E. E. Hahn—349(A)

Electromagnetic theory (see also **Quantum electrodynamics**)
Constant-mass electron in uniform fields, F. W. Warburton—93(A)
Polarized waves in sun's atmosphere, escape into space, V. A. Bailey—428

Electron diffraction
Multiple reflection, L. G. Schulz—316(A)

Electronic tubes (see also **Methods and instruments**)
Ceramic heaters and cathodes, T. R. Palumbo—356(A)
Diode studies of oxide-coated cathodes, H. E. Kern and R. T. Lynch—355(A)
Photo-multiplier tube in photometry, J. H. DeWitt, Jr. and C. K. Seyfert—643(A)
Transit time of electrons in diodes, Delbert N. Eggenberger and Paul L. Copeland—643(A)
Investigation of contaminants, Paul D. Williams—353(A)
Life tests of oxide-coated cathodes, J. O. McNally—356(A)
Noise spectra at ultra low frequencies, R. W. Bogle—354(A)
Oxide cathode in diodes, Thomas H. Briggs—356(A)
Stored holes, withdrawal from Ge transistors and varistors, L. A. Meacham and S. E. Michaels—175(L)
For study of cathode materials, William J. Price—354(A)
Sublimation characteristics of cathode, emission processes, R. H. Plumlee—90(A)
Thoria cathodes in high voltage rectifiers, S. T. Yanagisawa and T. H. Rogers—353(A)
Thoria, use in secondary emission tube, chemistry, Leo J. Croning—352(A)

Electrons (see also **Positrons**)
Emission from dielectrics, R. T. K. Murray and Alexander Mackenzie—350(A)
Ranges, scattering effects, Frank L. Hereford—327(A)
Transmission through thin films, Edward Sturcken, Robert Heller, and Alfred H. Weber—327(A)

Electrons, secondary
Emission at oblique angles of incidence, James J. Brophy—643(A)
From magnetron cathodes, magnetron operation, Robert L. Jepsen—354(A)
From metals, theory, E. M. Baroody—780
From thoria and refractory materials, Leo J. Croning—352(A)

Electrostatics
Piezo-electric, tribo-electrification contribution to charge, John W. Peterson—91(A)

Elements
Element 98, S. G. Thompson, K. Street, Jr., A. Ghiorso, and G. T. Seaborg—298(L)

Energy states of nucleus (see **Disintegration and excitation of nucleus; Nuclear structure**)

Equations of state
At high pressures, W. M. Elsasser—351(A)

Errata
Cloud-chamber study of cosmic-ray nuclear interactions at 3260 meters, W. W. Brown and A. S. McKay—67(L)
Evidence for multiple meson and γ-ray production in cosmic-ray stars, M. F. Kaplon, H. Bradt, and B. Peters—68(L)
Internal pair formation, M. E. Rose—184(L)
On the role of the subsidiary condition in quantum electrodynamics, F. Coester and J. M. Jauch—828(L)
X-ray and gamma-ray reflection properties from 500 x-units to 9 x-units of unstressed and of bent quartz plates, D. A. Lind, W. J. West, and J. W. M. DuMond—474(L)

Excitation of nuclei (see **Disintegration and excitation of nucleus; Nuclear structure**)

Explosion phenomena (see also **Shock waves**)
Hydrogen-oxygen detonation pressures, W. E. Gordon—351(A)

Ferroelectric phenomena
Curie point of $BaTiO^3$, effect of pressure, W. J. Merz—52, 341(A)

Ferromagnetism (see **Magnetic properties**)

Field theory (see also **Quantum electrodynamics**)
Electromagnetic interaction of mesons of zero spin, F. Rohrlich—346(A)
Experimental and theoretical mesons, Alex E. S. Green—187(A)
Formalistic *vs.* realistic theories, Alex E. S. Green—187(A)
Interaction between elementary particles, Alfred Landé—346(A)
Isobaric state of nucleon, R. E. Marshak—346(A)
Non-adiabatic meson theory of nuclear forces, S. M. Dancoff—382
Non-local fields, M. Fierz—184(L)
Films, properties of
Optical absorption and photoelectric effect, E. A. Taft and J. E. Dickey—625(L)
Fission of nucleus (see also **Disintegration and excitation of nucleus**)
Tripartition of U^{235}, Louis Rosen and Alvin M. Hudson—533
Unequal mass division due to asymmetric oscillations, David L. Hill—320(A)
Yield of Xe^{133}, fine structure in curve, J. Macnamara, C. B. Collins, and H. G. Thode—129

Geophysics
Geomagnetic secular variation, C. J. Swift and W. M. Elsasser—64(L)

Hall effect
In ZnO, E. E. Hahn and P. H. Miller, Jr.—348(A); P. H. Miller, Jr. and E. E. Hahn—349(A)
Heat of dissociation (see **Molecular structure and constants**)
Helium, liquid
Entropy of superfluid in pure He^4 below λ-point, O. K. Rice—182(L)
Fountain effect of He^3 dissolved in He^4, K. W. Taconis, J. J. M. Beenakker, and Z. Dokoupil—171(L)
λ-points of He^3 in He^4 for superfluidity, J. G. Daunt and C. V. Heer—342(A)
λ-temperatures of He^3 in He^4, Olive G. Engel and O. K. Rice—55
Rayleigh disk in liquid He II, John R. Pellam and Philip M. Morse—474(L)
Second sound radiation pressure, John R. Pellam—818(L)
Theory of liquid He II, Sadao Nakajima, Kazuhisa Tomita, and Tunemaru Usui—768
Thermodynamics of He^3-He^4 solutions, O. K. Rice and Olive G. Engel—183(L)
Viscosity of He^3, R. A. Buckingham and H. N. V. Temperley—482(L)
Hydrodynamics
Pressure for cavitation due to rarefaction wave, A. B. Arons—333(A)
Ultrasonic wind, Francis E. Fox and Karl F. Herzfeld—156
Viscosity of solutions of macromolecules, concentration dependence, Jacob Riseman and Robert Ullman—359(A)
Hyperfine structure (see also **Nuclear moments and spin**)
Of Al II, S. Suwa—810(L)
Anomaly of K isotopes, S. A. Ochs, R. A. Logan, and P. Kusch—184(L)
Isotope shift and nuclear polarization, G. Breit, G. B. Arfken, and W. W. Clendenin—390
Isotope shift in Pb spectrum, Thurston E. Manning, C. E. Anderson, and W. W. Watson—417
Of Hg spectrum, K. Murakawa—480(L)

Ionization
Waves in ionized medium, V. A. Bailey—428
Ionization potentials
Of molecules by electron bombardment, Raymond Kaufman—332(A)

Isomers, nuclear (see also **Nuclear structure; Radioactivity**)
Of Te^{121} and Te^{123}, Robert Katz, R. D. Hill, and M. Goldhaber—9
Isotopes
Mass of Ne isotopes, A. Zucker and W. W. Watson—14
Masses of Cr^{50}, Cr^{52}, and Fe^{54}, Henry E. Duckworth and Howard A. Johnson—179(L)
Masses of Pd^{104}, Pd^{108}, Pt^{195}, and Cu^{65}, Henry E. Duckworth, Karl S. Woodcock, and Richard S. Preston—479(L)
Of Np, L. B. Magnusson, S. G. Thompson, and G. T. Seaborg—363
Of N, microwave techniques, A. L. Southern, H. W. Morgan, G. W. Keilholtz, and W. V. Smith—639(A)
Ratio of N^{15}/N^{14} in occluded gases, Herman Yagoda and William C. White—330(A)
Of Se in OCSe, masses, S. Geschwind, H. Minden, and C. H. Townes—174(L)
Terrestrial and meteoritic sulfur, J. Macnamara and H. G. Thode—307(L)
Transplutonium isotopes by neutron irradiation, A. Ghiorso, R. A. James, L. O. Morgan, and G. T. Seaborg—472(L)

Liquids (see also **Helium, liquid; Hydrodynamics**)
Heat of devitrification, B. Luyet—641(A)
Structural arrangements of ethyl alcohol, D. Sette—476(L)
Low temperature phenomena (see also **Helium, liquid**)
Magnetic susceptibility of Pb, M. C. Steele—342(A)
Nuclear specific heats in paramagnetic salts, B. Bleaney—214
Optical band width of *F* centers, E. Burstein and J. J. Oberly—349(A)
Oxidation of copper, T. N. Rhodin, Jr.—638(A)
Superconducting temperature of Pb, D. B. Cook, H. A. Boorse, and M. W. Zemansky—343(A)
Superconductivity theory, L. Tisza—342(A)
Thermal conductivity of Cu and Sn, F. A. Andrews, D. A. Spohr, and R. T. Webber—342(A)
Thermodynamic temperature of 1.5 millidegrees, D. de Klerk, M. J. Steenland, and C. J. Gorter—476(L)
Luminescence
Of LiF, Peter Pringsheim and Philip Yuster—293(L)
In lithium fluoride, color centers, Clifford C. Klick—644(A)

Magnetic fields
Lorentz correction in $BaTiO^3$, J. C. Slater—748
Shielding of nuclei in molecules, Norman F. Ramsey—699
Steady high fields, Martyn H. Foss—641(A)
Magnetic properties (see also **Crystal structure; Nuclear moments and spin**)
Of αFe^2O^3 and αFe^2O^3 with added titanium, F. J. Morin—819(L)
Flux in a superconducting torus, R. L. Dolecek and Jules de Launay—58
Gyromagnetic ratio of the proton, R. L. Driscoll, H. A. Thomas, and J. A. Hipple—339(A)
Gyromagnetic ratios of Va^{51} and Mn^{55}, William H. Chambers, Robert E. Sheriff, and Dudley Williams—640(A)
Magneto-resistance of Ge, G. L. Pearson—646(A); H. Suhl—646(A)
Magnetostriction of alloys, E. A. Nesbitt—638(A)
Memory in ferromagnetic domain crystal, H. J. Williams and W. Shockley—341(A)
No load characteristics of saturable reactors with hysteresis, Alfredo Baños, Jr. and William B. McLean—92(A)
Nuclear spin relaxation in PO_4, AsO_4 compounds, Roger Newman and Edward M. Purcell—339(A)
Saturation in alloys, statistical theory, R. Smoluchowski—638(A)
Superconducting lead, field penetration, M. C. Steele—791

Of superconductive Pb, Aaron Wexler and W. S. Corak—260
Susceptibility of Pb, M. C. Steele—342(A)
Magnetic resonance absorption (see also **Nuclear moments and spin**)
Angular dependence, E. F. Carr and C. Kikuchi—470(L)
Detection by ion resonance absorption, H. Sommer and H. A. Thomas—806(L)
Ferromagnetic materials, theory, J. H. Van Vleck—266
In nickel and supermalloy, N. Bloembergen—578
In NO, Robert Beringer and J. G. Castle, Jr.—567; Henry Margenau and Allan Henry—587
Oscillographic method for observing, R. Malvano and M. Panetti—826(L)
Protons in weak fields, Richard M. Brown—530
Shift of nuclear resonances, W. C. Dickinson—339(A)
Mass ratios (see **Isotopes**)
Mass spectroscopy
Initial energies of ions, Clifford E. Berry—597
Ionization of hydrocarbons, Fred L. Mohler—332(A)
Non-magnetic radiofrequency spectrometer, Willard H. Bennett—332(A)
Omegatron, J. A. Hipple, H. Sommer, and H. A. Thomas——332(A)
Temperature variation of mass spectra of hydrocarbons, Robert M. Reese, Vernon H. Dibeler, and Fred L. Mohler—332(A)
Mean or half-life (see **Radioactivity**)
Mechanics, quantum—atomic structure and spectra
Relativistic Kepler problem, M. H. Johnson and B. A. Lippmann—329(A)
Mechanics, quantum—general
Commutator equations for fields from variation principle, Christopher Gregory—67(L)
Commutators in quantized field theories, S. Schweber—613
Covariant spinor theory, Jack Heller and Peter G. Bergmann—329(A)
Cross-section theorem, Melvin Lax—306(L)
Dirac theory for spin ½ particles, Leslie L. Foldy and Siegfried A. Wouthuysen—29
Field equations from variation principle, four-vector operator, Christopher Gregory—479(L)
Hamiltonian of gravitation with electromagnetic field, Peter G. Bergmann, Robert Penfield, Ralph Schiller, and Henry Zatzkis—329(A)
Iteration procedure in the Rayleigh-Ritz principle, E. Gerjuoy and Harold Gruen—90(A)
Of localizable dynamical systems, T. S. Chang—592
Quantization of gravitational field equations, A. Schild and F. A. E. Pirani—329(A)
Stationary states by solution of diffusion equation, Gilbert W. King—328(A)
Variational method for non-conservative collisions, Melvin Lax—306(L)
Mechanics, quantum—nuclear
Analysis of proton-proton scattering, G. Breit and R. D. Hatcher—110
Binding of H^3, range of tensor forces, Robert L. Pease and Herman Feshbach—322(A)
Cross-section theorem extended for capture, Melvin Lax—322(A)
Dependence of Fermi $|M|^2 f$ on Z, D. N. Kundu and M. L. Pool—328(A)
Deuteron break-up at high energy, L. I. Schiff—83(A)
Deuteron photo-effect, n-p interaction, L. I. Schiff—321(A)
Differential equations of nuclear induction, F. Bloch and R. K. Wangsness—82(A)
$(n,2n)$ reaction cross section near threshold, George Snow—322(A)
Nuclear forces from p-p scattering data, H. P. Noyes—90(A)
Production and annihilation of antiprotons, C. W. Helstrom—88(A)
Quadrupole moment of Li^7, R. D. Present and E. Feenberg—328(A)
Space exchange moments in light nuclei, L. Spruch—328(A)
Mechanics, quantum—of solid bodies
Energy band structures in semiconductors, W. Shockley—173(L)
Mechanics, statistical
Differential equations of nuclear induction, F. Bloch and R. K. Wangsness—82(A)
Mesons (see also **Cosmic radiation**)
Absorption in hydrogenous materials, W. K. H. Panofsky and H. F. York—89(A)
Absorption of π^--mesons in hydrogen, gamma-rays, W. K. H. Panofsky, Lee Aamodt, and Herbert F. York—825(L)
Collision path length for π-mesons, W. E. Hazen—320(A)
Detection of photo-mesons, J. Steinberger and A. S. Bishop—493(L)
Elementary particle nature, H. M. Moseley and Nathan Rosen—67(L)
Evidence for heavy meson, more than 450 electron masses, Harriet H. Forster—92(A)
Interaction of π-mesons, Oreste Piccioni—78(L)
Magnetic deflection, Ian Barbour—319(A), 518
Mass determination from momentum in cyclotron, Walter H. Barkas—90(A)
Mass from grain counts, J. Kent Bowker—87(A)
Mass measurements, F. M. Smith, Walter H. Barkas, A. S. Bishop, Hugh Bradner, and Eugene Gardner—86(A)
Mass of μ-meson, statistical considerations, O. Halpern and H. Hall—320(A)
Mass spectrum, Alex E. S. Green—642(A)
Neutral mesons by photons, J. Steinberger, W. K. H. Panofsky, and J. Steller—802
Nuclear forces, S. M. Dancoff—382
Nucleon magnetic moment in meson pair theories, J. Leite Lopes—36
π-μ-decay, W. L. Kraushaar, J. E. Thomas, Jr., and V. P. Henri—486(L)
Positive-negative ratio of π-mesons, Geoffrey F. Chew and Jack L. Steinberger—497(L)
Production by cascade process, B. T. Feld, I. L. Lebow, and L. S. Osborne—324(A)
Production by high energy particles—method, H. A. Wilcox and C. Richman—85(A); Energy and angular distribution, T. B. Taylor and G. F. Chew—86(A); Protons on C, C. Richman and H. Wilcox—85(A); Protons on Pb, Mitchel Weissbluth—86(A)
Production by photons, J. Steinberger and A. S. Bishop—493(L)
Production by x-rays, R. Stephen White, Edwin M. McMillan, and Jack M. Peterson—84(A); Jack M. Peterson, Edwin M. McMillan, and R. Stephen White—84(A); Keith A. Brueckner—84(A)
Production cross sections for π^+- and π^--mesons, C. Richman and H. A. Wilcox—496(L)
Production, detection, J. Steinberger and A. S. Bishop—319(A)
Production of π^+-mesons, W. F. Cartwright, C. Richman, M. N. Whitehead, and H. A. Wilcox—823(L)
Production of π-mesons by electrons, E. Strick and D. ter Haar—68(L)
Production, + to − π-meson yield ratio, Geoffrey F. Chew and Jack L. Steinberger—86(A); H. Bradner and S. B. Jones—90(A)
Production rates, dependence on absorbers, Marietta Blau, John Nafe, and Herbert Bramson—320(A)
Proton tracks in emulsions by π^--mesons, W. Cheston and L. Goldfarb—320(A)

Mesons (continued)
Ratio of + and − photo-mesons, Otto Halpern—69(L)
Yield functions for π^--mesons from *C*, Stanley B. Jones and R. Stephen White—12
Meteorology
Atomic and molecular O^2 in upper atmosphere, H. E. Moses and Ta-You Wu—333(A)
History of the noble gases, P. Morrison—334(A)
Low molecular rotation and upper atmosphere temperatures, Lewis M. Branscomb—333(A)
Radiation in the stratosphere, heat balance, Gilbert N. Plass and John Strong—334(A)
Thunderstorms, formation process, E. J. Workman and S. E. Reynolds—254
Methods and instruments (see also **Electronic tubes**)
Absorption cell, infra-red, R. B. Holden, W. J. Taylor, and H. L. Johnston—344(A)
A.c. circuit for rapid determination of Hall coefficient, B. R. Russell, P. H. Miller, Jr., and C. F. Wahlig—645(A)
Analog solution of equations by means of electrical networks, James H. Green, Jr. and Victor B. Corey—328(A)
Antenna radiation characteristics, David S. Saxon, Alfredo Baños, Jr., and Louis L. Bailin—327(A)
Attenuation of radiation under Pb, paraffin in emulsions, H. Sun and Harriet H. Forster—86(A)
Bevatron model, design, D. C. Sewell, W. M. Brobeck, E. O. Lawrence, and E. J. Lofgren—85(A)
Bevatron model, operating results, E. J. Lofgren, W. M. Brobeck, E. O. Lawrence, and D. C. Sewell—85(A)
Bevatron model radiofrequency system, Q. A. Kerns, W. R. Baker, G. M. Farly, and J. Riedel—85(A)
Bevatron model, theory of performance, Lloyd Smith, A. A. Garren, and L. R. Henrich—85(A)
Chemical analysis by proton scattering, S. Rubin and V. K. Rasmussen—83(A)
Coils for neutralization of earth's field in beta-ray spectrometer, S. K. Haynes and J. W. Wedding—641(A)
Counter method for neutron spectra, Donald C. Worth—378
Crystalite orientation of textile fibers, use of x-ray spectrometer, Leon Segal, Joseph J. Creely, and Carl M. Conrad—358(A)
Cyclotron orbits, non-equilibrium, meson mass determination, Walter H. Barkas—90(A)
Decay constants from coincidence experiments, T. D. Newton—490(L)
d and *α*, bombardment of enzymes and viruses, Ernest Pollard and F. Forro, Jr.—335(A)
Dielectric rods, patterns, C. W. Horton, F. C. Karal, and C. M. McKinney—327(A)
Diffusion equations, solution, W. T. Scott—323(A)
Directional and latitude survey of cosmic rays at 95,000 ft., T. Stix, K. Dwight, R. Sabin, and J. R. Winckler—324(A)
Double-crystal spectrometer, modifications, Paul Kaesberg, W. W. Beeman, and H. N. Ritland—336(A)
Efficiency of γ-counters, R. J. Hart, K. Russell, and R. M. Steffen—334(A)
Electron linear accelerator, operation, R. F. Post—92(A)
Electron sensitive emulsions, track observations, Frank L. Adelman—86(A)
Electroplating Rh on W wire, Roberto Levi and George A. Espersen—231
Emulsion for cosmic-ray studies, Pierre Demers—320(A)
Evaporation of zinc under electron bombardment, Francis E. Dart—761
Gamma-ray energies measured with one crystal, John A. McIntyre and Robert Hofstadter—617(L)
Gamma-ray energies measured with two crystals in coincidence, Robert Hofstadter and John A. McIntyre—619(L)
Ge filament cuts, W. L. Bond—646(A)
Goniometer and x-ray spectrometer, M. L. Baron and A. de Bretteville, Jr.—344(A)
Grain count variations in emulsions, J. Kent Bowker—87(A)
Initial energies of ions in mass spectrometer, Clifford E. Berry—597
Ion source for cyclotrons, R. S. Livingston, R. J. Jones, and R. E. Wright—329(A)
Line width determination in microwave spectra, Robert Beringer and J. G. Castle, Jr.—340(A)
Liquid scintillation counters, George T. Reynolds, F. B. Harrison, and G. Salvini—488(L)
Magnetic deflection method for *p-p* scattering, O. A. Towler, Jr. and C. L. Oxley—326(A)
Magnetic deflection of mesons, nuclear plates, Ian Barbour—319(A), 518
Magnetic suspension balance, J. W. Beams—471(L)
Mass spectrometer for studying surface reactions at low pressures, Stanley A. Landeen, H. E. Farnsworth, and Russell K. Sherburne—351(A)
Hg arc temperature by x-rays, C. Kenty and W. J. Karash—625(L)
Meson production by high energy particles, H. A. Wilcox and C. Richman—85(A)
Microwave apparatus for dielectric constants and conductivity, Richard F. Greene and Sol E. Harrison—348(A)
For microwave spectroscopy, O. R. Gilliam, Charles M. Johnson, and Walter Gordy—140
Mounting for a concave grating spectrometer, W. J. Taylor, G. P. Koch, and H. L. Johnston—343(A)
Multiple scattering deflector for cyclotron, C. E. Leith—89(A)
Neutron activated cadmium covered indium foils, John W. Kunstadter—484(L)
Neutron spectrometer employing emulsions, G. R. Keepin, Jr. and J. H. Roberts—87(A)
Nuclear emulsion events, device for analysis, Robert Rudin, Marietta Blau, and Seymour Lindenbaum—319(A)
Nuclear induction apparatus for signals in gases, M. E. Packard—83(A)
Nuclear induction radiofrequency spectrometer, W. G. Proctor and F. C. Yu—83(A)
Omegatron for e/m ratio of ions, J. A. Hipple, H. Sommer, and H. A. Thomas—332(A)
Optical interference filters, multi-layer, W. H. Shaffer and R. A. Oetjen—187(A)
Particle injection into accelerators, W. B. Jones, H. R. Kratz, J. L. Lawson, G. L. Ragan, and H. G. Voorhies—60
Photo-mesons by delayed coincidence, J. Steinberger and A. S. Bishop—319(A)
Photo-multiplier tube photometry, J. H. DeWitt, Jr. and C. K. Seyfert—643(A)
Piezoelectric constants, static and resonator methods, Karl S. Van Dyke—315(A)
Positive ion space-charge detector, sensitivity, R. R. Eggleston and G. L. Weissler—91(A)
Probability distribution of recurrence times, A. J. F. Siegert—328(A)
Protons from synchrotron beam, A. Silverman and C. Levinthal—87(A)
Pulse-annealing method for changes in properties on heat treatment, N. S. Rasor and W. E. Parkins—638(A)
Pulsed photo-multiplier scintillation counters, R. F. Post and N. S. Shiren—81(L)
Random-circuit theory of resistance and noise, R. P. Coleman—644(A)
Rayleigh disk in liquid He II, John R. Pellam and Philip M. Morse—474(L)

Recrystallization purification of germanium, R. N. Hall—645(A)
Regulation of electromagnets using proton resonance, H. A. Thomas—339(A)
Resonance by ion resonance absorption, H. Sommer and H. A. Thomas—806(L)
Resonant modulation for microwave spectroscopy, S. H. Autler and C. H. Townes—340(A)
Scintillation counter characteristics using pulsed photomultipliers, R. F. Post and N. S. Shiren—644(A)
Scintillation counters, abnormal efficiencies, W. G. Cross—185(L)
Scintillation counters as detectors of x-rays, John P. Neissel and Donald C. Moore—643(A)
Scintillation counter response to electrons, John I. Hopkins—643(A)
Scintillation counters, effect of magnetic fields, J. D. Graves—309(L)
Scintillation counters, temperature dependence, S. H. Liebson and J. W. Keller, Jr.—305(L)
Scintillation counting with solutions, Hartmut Kallmann—621(L)
Scintillation spectra of short-life activities, Edward C. Campbell and Max Goodrich—640(A)
Se rectifiers, recovery time, K. Lehovec—348(A)
Single-photon counting, A. J. Dekker and A. H. Moorish—301(L)
Spectrophotometer, alignment, James L. Lauer—344(A)
Spectrophotometer, ratio-recording, double beam, Abraham Savitzky and Ralph S. Halford—344(A)
Statistics of luminescent counter systems, Frederick Seitz and D. W. Mueller—605
Synchro-cyclotron magnet, M. H. Foss, J. G. Fox, R. B. Sutton, and E. Creutz—641(A)
Terphenyl and dibenzyl scintillation counters, R. Hofstadter, S. H. Liebson, and J. O. Elliot—81(L)
Thermionic emission calculations, H. F. Ivey and C. L. Shackelford—356(A)
Thermometers for low temperatures, use of semiconductors, I. Estermann—83(A)
300-Mev betatron at Illinois, D. W. Kerst, G. D. Adams, H. W. Koch, and C. S. Robinson—297(L)
Ultraviolet irradiation of viruses, Donald J. Fluke—335(A)
Water-prism monochromator, R. B. Setlow and D. J. Fluke—335(A)

Mobility of electrons
In conducting phosphors, Lee Gildart and A. W. Ewald—645(A)

Molecular structure and constants (see also **Raman spectra; Spectra, molecular**)
Of borine carbonyl, Walter Gordy, Harold Ring, and Anton B. Burg—512
Of CO, O. R. Gilliam, Charles M. Johnson, and Walter Gordy—140
Centrifugal distortion in excited vibration states, Harald H. Nielsen—415
Centrifugal distortion in formaldehyde, Richard B. Lawrance—347(A)
Dipole moments, R. G. Shulman, C. H. Townes, and B. P. Dailey—145
Double-bond character from microwave spectrum, J. H. Goldstein and J. K. Bragg—347(A)
Of fluorosilane, dipole moment, A. Harry Sharbaugh, Virginia G. Thomas, and Benjamin S. Pritchard—64(L)
Heat of dissociation of N, Joseph Kaplan—93(A)
Intermolecular forces in benzene, Vernon Myers—348(A)
Nuclear quadrupole coupling and ionic character of Cl^{35}, C. H. Townes and B. P. Dailey—346(A)
Of PCl^3, microwave spectrum, P. Kisliuk and C. H. Townes—347(A)
Quadrupole moment of the electron distribution in H, Norman F. Ramsey—221
Weights from flow birefringence and viscosities, M. D. Schoenberg and F. R. Eirich—359(A)

Moments, of particles (see **Nuclear moments and spin**)

Neutrons
Binding energies in Pb^{207}, Pb^{208}, Bi^{210}, B. B. Kinsey, G. A. Bartholomew, and W. H. Walker—77(L)
Decay, A. H. Snell, F. Pleasonton, and R. V. McCord—310(L), 317(A); J. M. Robson—311(L)
Diffusion in multiplying medium, E. Richard Cohen and M. A. Greenfield—639(A)
Energy and direction measurement, G. R. Keepin, Jr. and J. H. Roberts—87(A)
Energy of neutrons from $Be^9(\alpha,n)C^{12}$, C. E. Bradford and W. E. Bennett—302(L)
Magnetic scattering, H. Ekstein—731
Neutron activated cadmium-covered indium foils, John W. Kunstadter—484(L)
From Po-Be energy spectrum, B. G. Whitmore and W. B. Baker—799
Production by 50-Mev x-rays, G. C. Baldwin and F. R. Elder—76(L)
Refraction theory extended to capture and scattering, Otto Halpern and Charles B. Shaw, Jr.—88(A)

Neutron diffraction
By nuclei with zero spin, W. C. Koehler, E. O. Wollan, and C. G. Shull—640(A)
Of vitreous silica, I. W. Ruderman—317(A)

Nuclear moments and spin (see also **Hyperfine structure**)
Of boron, Walter Gordy, Harold Ring, and Anton B. Burg—512
Of D^2 and H^1, effect of chemical compound, Gunnar Lindström—817(L)
Electric dipole moments of elementary particles and nuclei, E. M. Purcell and N. F. Ramsey—807(L)
Electron spin from microwave spectra of NO^2, K. B. McAfee, Jr.—340(A)
Exchange moments in H^3 and He^3, R. K. Osborn and L. L. Foldy—322(A)
Gyromagnetic ratio of the proton, R. L. Driscoll, H. A. Thomas, and J. A. Hipple—339(A)
Integral expressions for moments, Enos E. Witmer—352(A)
Of Li^7, R. Avery and C. H. Blanchard—704
Magnetic moment of Nb^{93}, Robert E. Sheriff, William H. Chambers, and Dudley Williams—476(L)
Magnetic moment of Pr^{141}, William H. Chambers, Robert E. Sheriff, and Dudley Williams—482(L)
Magnetic moments and shell structure, Roald K. Wangsness—620(L)
Magnetic moments of Ga isotopes, G. J. Béné, P. M. Denis, and R. C. Extermann—66(L); P. Kusch—615(L)
Magnetic moments of Xe^{129}, Bi^{209}, Sc^{45}, Sb^{121}, and Sb^{123}, W. G. Proctor and F. C. Yu—471(L)
Moments of p and d, E. C. Levinthal—204
Nucleon magnetic moment in meson pair theories, J. Leite Lopes—36
Of proton in absolute units, H. A. Thomas, R. L. Driscoll, and J. A. Hipple—787
Proton magnetic moment, diamagnetic field corrections, Norman F. Ramsey—339(A)
Proton magnetic moment in units of nuclear magnetron, C. D. Jeffries—83(A)
Quadrupole interactions due to Cl^{35} and Cl^{37}, H. Zeiger, D. Bolef, and I. I. Rabi—340(A)
Quadrupole interactions due to Cl^{35}, electric resonance method, C. A. Lee, R. O. Carlson, B. P. Fabricand, and I. I. Rabi—340(A)
Quadrupole moment of deuteron, G. F. Newell—711

Nuclear moments and spin (continued)
Quadrupole moment of Li^7, theory, R. D. Present and E. Feenberg—328(A)
Of Sc^{45}, D. M. Hunten—806(L)
Space exchange moments in light nuclei, L. Spruch—328(A)
Spin of B^{10}, M. T. Weiss, M. W. P. Strandberg, R. B. Lawrance, and C. C. Loomis—202
Spin relaxation in PO_4, AsO_4 compounds, Roger Newman and Edward M. Purcell—339(A)
Of S^{33} from Zeeman effect, C. K. Jen—339(A)
Of Te and W, G. R. Fowles—744
Nuclear spectra (see also **Disintegration and excitation of nucleus**)
Beta-gamma-angular correlations, Donald T. Stevenson and Martin Deutsch—640(A)
β-spectrum of Be^{10}, D. E. Alburger, D. J. Hughes, and C. Eggler—318(A); L. Feldman and C. S. Wu—318(A)
β-spectrum of He^6, Victor Perez-Mendez and Harold Brown—317(A)
β-spectrum of prometheum 147, Werner S. Emmerich and J. D. Kurbatov—187(A)
β-spectrum of Na^{22}, P. A. Macklin, L. J. Lidofsky, and C. S. Wu—318(A)
β-spectrum of S^{35}, Leonard Gross and Donald R. Hamilton—318(A)
Gamma-ray energies from ThC″, RaC, Na^{24}, J. L. Wolfson—176(L)
γ-rays from Be^7, T. Lauritsen and R. G. Thomas—88(A)
γ-rays from Bi, A. W. Sunyar, D. E. Alburger, G. Friedlander, M. Goldhaber, and G. Scharff-Goldhaber—326(A)
γ-rays from $C^{13}+d$, R. G. Thomas and T. Lauritsen—88(A)
γ-rays of Ba^{131}, E. B. Dale, E. L. Zimmerman, D. G. Thomas, and J. D. Kurbatov—640(A)
Internal conversion electrons, Richard L. Caldwell—407
Neutron energy spectra, B. L. Cohen, C. E. Falk, and S. K. Kao—639(A)
Photons of low energy, Gertrude Scharff-Goldhaber, E. der Mateosian, M. McKeown, and A. W. Sunyar—325(A)
Positron activity of Cu^{64} in a source of Cu^{61}, C. Sharp Cook and Chia-hua Chang—171(L)
Of Zn^{62} and Cu^{62}, β-rays, Raymond W. Hayward—87(A)
Nuclear structure (see also **Disintegration and excitation of nucleus; Radioactivity; Nuclear spectra**)
Of Al^{26}, energy levels, C. P. Swann, C. E. Mandeville, and W. D. Whitehead—338(A)
Of Be^7 and Li^7, excited states, A. B. Brown, C. Y. Chao, W. A. Fowler, and C. C. Lauritsen—88(A)
Binding energy of triton, Tsi-Ming Hu and Kung-Ngou Hsu—633(L)
Binding of H^3, range of tensor forces, Robert L. Pease and Herman Feshbach—322(A)
Of B^{10}, excitation levels, W. D. Whitehead and C. E. mandeville—337(A)
Of C^{13}, search for levels, D. W. Miller—806(L)
Charge independence of nuclear forces, Julian Schwinger—135
Configurations in spin-orbit coupling model, empirical evidence, Maria Goeppert Mayer—16
Coupling and shell model, Giulio Racah—622(L)
Deuteron photo-effect, n-p interaction, L. I. Schiff—321(A)
Doublets of N^{15} and O^{16}, D. R. Inglis—616(L)
Energy levels of C^{14}, C^{12}, C. Levinthal, E. A. Martinelli, and A. Silverman—199
Equivalence of protons and neutrons, William D. Harkins—634(L)
Of F^{20}, energy levels, R. C. Allen and Waldo Rall—337(A)
Integers in mass ratios, Enos E. Witmer—641(A)
Low states of Li^7, R. Avery and C. H. Blanchard—704
Magic numbers, possible third-order difference, Frank A. Valente—77(L)
Magic numbers, stable isotopes, Lew Kowarski—427(L)
Magnetic moments and shell structure, Roald K. Wangsness—620(L)
n-p scattering, tensor forces, L. Biedenharn and J. M. Blatt—322(A)
Of N^{15}, energy levels, R. Malm and W. W. Buechner—337(A)
Nuclear configurations in spin-orbit coupling model, theoretical, Maria Goeppert Mayer—22
Nuclear forces, meson theory, S. M. Dancoff—382
Polarization of nucleus, isotope shift, G. Breit, G. B. Arfken, and W. W. Clendenin—390
p-d scattering phase shifts, exchange forces, J. L. Gammel—321(A)
Schmidt model, staggering of isotopic shift, G. Breit—470(L)
Shell model, β-decay, L. W. Nordheim—294(L)
Of Si^{30}, energy level scheme, H. H. Landon—338(A)
Of Ta^{181}, excited state, W. C. Barber—641(A)

Optical constants and properties
Of films of SrO, Robert L. Sproull—630(L)
Of films on BaO, E. A. Taft and J. E. Dickey—625(L)

Packing fraction (see also **Isotopes**)
For doublets from mass comparisons, Henry E. Duckworth, Howard A. Johnson, Richard S. Preston, and Richard F. Woodcock—386
Of Fe^{56}, Ni^{58}, and Ni^{60}, Henry E. Duckworth and Howard A. Johnson—330(A)
Pair production
Nuclear recoil momentum, B. Rosenbaum—628(L)
X-rays from 100-Mev betatron, E. R. Gaerttner and M. L. Yeater—621(L)
Phosphorescence
Color centers by single-photon counting, A. J. Dekker and A. H. Morrish—301(L)
Photoconductivity
Photon yield of electron-hole pairs in Ge, F. S. Goucher—816(L)
Photo-disintegration
Of Cu^{63}, threshold for n, J. McElhinney and W. E. Ogle—63(L)
Cross section for (γ,n) reactions, A. C. Helmholz and K. Strauch—86(A)
Of deuteron at high energies, J. F. Marshall and E. Guth—738; L. I. Schiff—733
Of deuteron, n-p interaction, L. I. Schiff—321(A)
Dipole transitions, cross section, J. S. Levinger and H. A. Bethe—115
Of N^{14} and O^{16}, evidence for, A. G. W. Cameron and C. H. Millar—337(A)
Of O^{16} and N^{14}, α-tracks, C. H. Millar and A. G. W. Cameron—78(L)
Of Ti^{46}, Cr^{50}, thresholds for n, W. E. Ogle and R. E. England—63(L)
Transition curves in Pb, K. Strauch—84(A); L. Eyges—85(A)
Of Zr^{90}, Pr^{141}, As^{75}, I^{127}, and Ni^{58}, thresholds for n, W. E. Ogle, L. J. Brown, and A. N. Carson—63(L)
Photoelectric effect and properties; cells
Of metal films on BaO, E. A. Taft and J. E. Dickey—625(L)
Quantum yield of electron-hole pairs in Ge, F. S. Goucher—646(A)
Work function of Ag film, Edward Kelly, H. E. Farnsworth, and Edward N. Clarke—316(A)
Photovoltaic effect
Of P-N junctions in Ge, M. Becker and H. Y. Fan—301(L)
Temperature dependence of P-N barriers in Ge, H. Y. Fan and M. Becker—335(A)

Piezoelectric effect
Of $BaTiO_3$, dependence on temperature, W. J. Merz—642(A)
Of $BaTiO_3$ single-domain crystals, M. E. Caspari—341(A)
Capacitance of AT-cut quartz resonators, Karl S. Van Dyke—642(A)
Measurement methods, Karl S. Van Dyke—315(A)
On tribo-electrification, John W. Peterson—91(A)
Thickness-shear resonance of resonators, Gary D. Gordon—642(A)
Plasticity
Fracture markings, J. A. Kies and A. M. Sullivan—357(A)
Shocks in polymeric films, John Kauffman and Waller George—357(A)
Transition to elasticity, M. L. Huggins—336(A)
Polarization of radiation
Gamma-rays by pair production, T. H. Berlin and L. Madansky—623(L)
By interstellar medium, W. A. Hiltner—170(L)
Of starlight, Leverett Davis, Jr.—84(A)
Polymerization, properties of polymers
Collagen tendons, stress-strain behavior, Norman M. Wiederhorn and Gerald V. Reardon—359(A)
Crazing of linear polymers, C. C. Hsiao and J. A. Sauer—358(A)
Crystallite orientation of textile fibers, Leon Segal, Joseph J. Creely, and Carl M. Conrad—358(A)
Crystallization, second-order transitions in Si rubbers, C. E. Weir, W. H. Leser, and L. A. Wood—357(A)
Dynamic-property data on textile specimens, W. James Lyons—357(A)
Emulsion polymerization with ultrasonic vibration, A. S. Ostroski and R. B. Stambaugh—358(A)
Equation of state, R. S. Spencer and G. D. Gilmore—358(A)
Granulated polymers under pressure, R. S. Spencer, G. D. Gilmore, and R. M. Wiley—358(A)
Oriented polystyrene films, mechanical properties, Lawrence E. Nielsen and Rolf Buchdahl—359(A)
Plasticization of PVC, M. L. Dannis—358(A)
Polyvinyl acetate solutions, dynamic properties, John D. Ferry, W. M. Sawyer, George V. Browning, and Arthur H. Groth, Jr.—359(A)
Shear creep and recovery of elastomers, F. S. Conant, G. L. Hall, and W. James Lyons—357(A)
Transition phenomenon, R. Buchdahl, L. E. Nielsen, and R. E. Pollard—359(A)
Wool fibers, Harris M. Burte—357(A)
X-ray line broadening in nylon filaments, Waller George and John Kauffman—358(A)
Probability
Distribution of recurrence times, A. J. F. Siegert—328(A)
Volume effect, long chain molecules, Chan-Mou Tchen—336(A)
Proceedings of the American Physical Society
Stanford Meeting, Stanford University, California, December 29–30, 1949—82
Division of Electron Physics, New York University, New York, January 31 and February 1, 1950—352
Division of High-Polymer Physics, Polytechnic Institute of Brooklyn, New York, February 1 and 3, 1950—357
Annual Meeting, New York City, February 2–4, 1950—313
Ohio Section, Cincinnati, Ohio, March 4, 1950—187
Oak Ridge Meeting, Oak Ridge, Tennessee, March 16–18, 1950—637
Ohio Section, Columbus, Ohio, April 29, 1950—648

Quantum electrodynamics (see also **Field theory**)
Collisions of positrons and electrons, J. Katzenstein—161
Corrections to current operator, Thomas A. Green—297(L)
Covariant description of extended charges, D. Bohm, M. Weinstein, and H. Kouts—346(A)
Dirac theory of spin ½ particles, non-relativistic limit, L. L. Foldy and S. A. Wouthuysen—345(A)
Electromagnetic interaction of mesons of zero spin, F. Rohrlich—346(A)
e-p scattering, M. N. Rosenbluth and L. I. Schiff—326(A)
Electron self-energy, Frederik J. Belinfante—642(A)
Field and charge measurements, N. Bohr and L. Rosenfeld—794
Identity, J. C. Ward, 182(L)
Interaction between elementary particles, Alfred Landé—346(A)
Quantization of Wheeler-Feynman's electrodynamics, F. J. Belinfante and J. S. Lomont—346(A)
Relativistic model of a finite-sized electron, G. J. Yevick—345(A)
Self-energies of electrons and photons, Hartland S. Snyder—346(A)
Self-energy problem, Hartland S. Snyder—98
Self-stress of the electron, S. Borowitz, W. Kohn, and J. Schwinger—345(A)
Subsidiary condition, role of, F. Coester and J. M. Jauch—149; 828(L)

Radiation (see also **Thermal radiation**)
Antenna characteristics, David S. Saxon, Alfredo Baños, Jr., and Louis L. Bailin—327(A)
Bremsstrahlung in nucleon-nucleon collisions, Albert Simon—321(A)
Dielectric rod patterns, C. W. Horton, F. C. Karal, and C. M. McKinney—327(A)
Diffusion of imprisoned resonance radiation, Frank N. Edmonds, Jr.—424
Showers from 335-Mev bremsstrahlung, Wade Blocker and Robert W. Kenney—87(A)
Radioactivity (see also **Disintegration and excitation of nucleus; Spectra, nuclear**)
Of Am^{242}, maximum energy of β-rays, Jean M. Grunlund, B. G. Harvey, N. Moss, and L. Yaffe—69(L)
Of Sb, beta-gamma-angular correlation, Stuart L. Ridgway—821(L)
Of A^{41} and O^{15}, beta-spectra, Harold Brown and Victor Perez-Mendez—649
Of At^{211}, Auger effect, Lawrence S. Germain—90(A)
β-emitting isotopes in W region, M. Lindner and J. S. Coleman—67(L)
β-γ-angular correlation, Theodore B. Novey—66(L); Donald T. Stevenson and Martin Deutsch—640(A)
Of Bi isotopes, H. M. Neumann and I. Perlman—191
Of Br^{80}, isomers, L. J. Lidofsky, P. A. Macklin, and C. S. Wu—318(A)
Of Ce^{143}, E. Shapiro and C. E. Mandeville—319(A)
Of Cs^{137}, γ-ray energy, Lawrence M. Langer and R. Douglas Moffat—74(L)
Of Cr^{55}, Daniel R. Miller—808(L)
Of Co^{60}, passage γ-rays through water, Gladys R. White—330(A)
Of Cu^{61} and Cu^{67}, D. N. Kundu and M. L. Pool—488(L)
Of Cu^{61}, positrons, George E. Owen, C. Sharp Cook, and Paul H. Owen—686
Of Cm^{242}, half-life, G. C. Hanna, B. G. Harvey, and N. Moss—617(L)
Decay scheme for $_{72}Hf^{181}$, S. B. Burson and K. W. Blair—89(A)
Dependence of Fermi $|M|^2 f$ on Z, D. N. Kundu and M. L. Pool—328(A)
Of element 98, S. G. Thompson, K. Street, Jr., A. Ghiorso, and G. T. Seaborg—298(L)
Fermi β-distribution function, I. Feister—375
Gamma-ray energies from ThC″, RaC, Na^{24}, J. L. Wolfson—176(L)
Of Au^{197*}, F. K. McGowan—325(A)

Radioactivity (continued)
Of Hf, J. M. Cork, A. E. Stoddard, W. C. Rutledge, C. E. Branyan, and J. LeBlanc—299(L)
Of Hf^{181}, coincidence studies, W. C. Barber—82(A)
Of In^{116}, disintegration scheme, Hilding Slätis, Stefaan J. du Toit, and Kai Siegbahn—498(L)
Internal conversion coefficients for Co^{60}, M. A. Waggoner, M. L. Moon, and A. Roberts—295(L)
Internal conversion electrons, transition energies, Richard L. Caldwell—407
Of $I^{123, 122, 121, 120}$, Luis Marquez and I. Perlman—189
Of I^{131}, decay scheme, I. Feister and L. F. Curtiss—179(L)
Of La, R. W. Pringle, S. Standil, and K. I. Roulston—303(L)
Of Pb^{204}, Bi^{204}, Bi^{206}, A. W. Sunyar, D. E. Alburger, G. Friedlander, M. Goldhaber, and G. Scharff-Goldhaber—326(A)
Of long-lived zirconium from fission, E. P. Steinberg and L. E. Glendenin—624(L)
$Hg^{203, 205}$, half-life of γ-ray level, Daniel Binder—325(A)
Of Nd^{147}, C. E. Mandeville—319(A)
Of Ne^{23}, beta-spectrum, H. Brown and V. Perez-Mendez—812(L)
Of Ne^{23}, gamma-radiation, V. Perez-Mendez and H. Brown—812(L)
Of Np, new isotopes, L. B. Magnusson, S. G. Thompson, and G. T. Seaborg—363
Of neutron, half-life, A. H. Snell, F. Pleasonton, and R. V. McCord—310(L), 317(A); J. M. Robson—311(L)
Of Pd^{106}, γ—γ-angular correlation, J. A. Spiers—75(L)
Photons of low energy, Gertrude Scharff-Goldhaber, E. der Mateosian, M. McKeown, and A. W. Sunyar—325(A)
Polarization-direction correlation of successive gamma-rays, Franz Metzger and Martin Deutsch—551
Of Po^{208}, half-life, D. H. Templeton—312(L)
Positron activity of Cu^{64} in a source of Cu^{61}, C. Sharp Cook and Chia-hua Chang—171(L)
Of K, specific activity, William R. Faust—624(L)
Of K^{40}, beta-ray spectrum, David E. Alburger—629(L)
Of protactinium isotopes, W. W. Meinke and G. T. Seaborg—475(L)
Of Rh^{106}, Co^{60}, and Cs^{134}, correlation of successive quanta, A. H. Williams and M. L. Wiedenbeck—822(L)
Of Ag^{110} by scintillation method, Edward C. Campbell and Max Goodrich—640(A)
Of Te^{130}, double beta-decay, Mark G. Inghram and John H. Reynolds—822(L)
Of Tb^{160}, γ-rays, J. M. Cork, C. E. Branyan, W. C. Rutledge, A. E. Stoddard, and J. M. LeBlanc—304(L)
Tracers for film properties, H. W. Allison and George E. Moore—354(A)
In well logging, Clark Goodman, Charles W. Tittle, and Henry Faul—640(A)
Of Yb and Ta, β-spectra, J. M. Cork, H. B. Keller, W. C. Rutledge, and A. E. Stoddard—95
Of Yb^{170}, half-life, R. E. Bell and R. L. Graham—490(L)
Of Y^{87} and Sr^{87}, B. E. Robertson, W. E. Scott, and M. L. Pool—318(A)
Of Zn^{62} and Cu^{62}, analysis of spectrum, Raymond W. Hayward—87(A)
Of Zn^{65}, Ruth A. Cohn and J. D. Kurbatov—318(A)

Raman spectra
Of Br_2, H. Stammreich—79(L)

Range of particles
Of α-particles in water and ice, H. G. de Carvalho—330(A)
Of high energy electrons in Al and Cu, Frank L. Hereford and Charles P. Swann—727
Of p from B(d,p) reaction, W. O. Bateson—337(A)
Range-energy curves for α and p, William P. Jesse and John Sadauskis—1

Recombination
Dissociative recombination of ions, D. R. Bates—492(L)

Relativity
Accelerated and rotating coordinate systems, H. C. Corben—329(A)
Gravitational field equations, Hans Freistadt—329(A)
Hamiltonian of gravitation with electromagnetic field, Peter G. Bergmann, Robert Penfield, Ralph Schiller, and Henry Zatzkis—329(A)
Quantization of gravitational field equations, A. Schild and F. A. E. Pirani—329(A)

Scattering of electrons, ions, mesons, neutrons, and protons (see also **Cross section, measurements, theory; Electron diffraction**)
Analysis of proton-proton scattering, G. Breit and R. D. Hatcher—110
Backscattering of positive electrons, H. H. Seliger—491(L)
Charge independence of nuclear forces, Julian Schwinger—135
Curvature for fast charged particles, W. T. Scott and H. S. Snyder—223
Deuteron-proton, photographic techniques, F. A. Rodgers, H. A. Leiter, and P. G. Kruger—656
Deuteron-proton scattering at 10 Mev, K. B. Mather, H. J. Karr, and R. O. Bondelid—292(L)
e-p scattering, M. N. Rosenbluth and L. I. Schiff—326(A)
Electron scattering by H atoms, H. S. W. Massey and B. L. Moiseiwitsch—180(L)
Electron scattering in tissue, reduction by magnetic field, W. H. Bostick—327(A)
Lower bound, range of n-p interaction, Leslie L. Foldy—636(L)
Magnetic scattering of neutrons, H. Ekstein—731
Multiple scattering in inflnite medium, H. W. Lewis—321(A), 526
n-d cross section at high energies, Frederic de Hoffmann—216
n-d scattering, E. Wantuch—326(A)
n-p, p-p, high energy scattering, theory, Richard S. Christian—89(A)
n-p scattering, tensor forces, L. Biedenharn and J. M. Blatt—322(A)
Neutron scattering in V^{51}, resonance and thermal cross section, M. Hamermesh and C. O. Muehlhause—175(L)
Of neutrons, extension of refraction theory, Otto Halpern and Charles B. Shaw, Jr.—88(A)
Non-conservative collisions, Melvin Lax—322(A)
p-d scattering phase shifts, exchange forces, J. L. Gammel—321(A)
Proton-proton at 5 Mev, R. E. Meagher—667
Proton-proton in charged scalar theory, K. A. Brueckner and K. M. Watson—495(L)
p-p scattering at 12.4 Mev, Byron T. Wright and F. E. Faris—89(A)
p-p scattering at 250 Mev, magnetic deflection method, O. A. Towler, Jr. and C. L. Oxley—326(A)
p-p scattering at 340 Mev, C. Wiegand and O. Chamberlain—326(A)
p-scattering by Al and C, C. Levinthal, E. A. Martinelli, and A. Silverman—199
Scattering effects in electron range measurements, Frank L. Hereford—327(A)
Velocity-dependent interactions, C. H. Blanchard, R. Avery, and R. G. Sachs—292(L)

Scattering of radiation (see also **Raman spectra**)
Simultaneity in Compton effect, Robert Hofstadter and John A. McIntyre—24

Secondary electrons (see **Electrons, secondary**)
Semiconductors (see **Electrical conductivity and resistance**)
Shock waves (see also **Explosion phenomena**)
Decay, hydrogen-oxygen detonation pressures, W. E. Gordon—351(A)
Pressure behind diffracted wave, C. H. Fletcher, D. K. Weimer, and Walker Bleakney—634(L)
Solid state (see **Crystalline state**)
Spallation(see **Disintegration and excitation of nucleus**)
Specific heat
In paramagnetic salts at low T, B. Bleaney—214
Spectra, absorption (see also **Absorption of radiation**)
Of HDO near 3.7μ in solar spectrum, R. M. Chapman and J. H. Shaw—71(L)
Of H_2, bands in the $3p^1\Pi$-$ls^1\Sigma$ system, C. R. Jeppesen and Paul E. Pflueger—91(A)
Of N_2O near 4.06μ in solar spectrum, J. H. Shaw, M. L. Oxholm, and R. M. Chapman—497(L)
Of Si, infra-red, H. Y. Fan and M. Becker—178(L)
Spectra, atomic
Of Ca II, 4s-4p transition, L. C. Green and N. E. Weber—343(A)
Fine structure of He^+, Willis E. Lamb, Jr. and Miriam Skinner—539
Isotope shift in Pb I lines, W. W. Watson and C. E. Anderson—343(A)
Of Pb I, isotope shift, Thurston E. Manning, C. E. Anderson, and W. W. Watson—417
Of Pb III, configuration interactions, J. N. P. Hume and M. F. Crawford—343(A)
Of L_{III}, electronic excitation, George L. Rogosa and Guenter Schwarz—343(A)
Of Mn II, C. W. Curtis—343(A)
Spectra, general
Of the night sky, aurora and afterglows, Joseph Kaplan—82(A)
Solar spectrum, high dispersion studies, Robert M. Chapman, John H. Shaw, and Dudley Williams—333(A)
Spectra, microwave
Of asymmetric top molecules, W. J. Pietenpol, J. D. Rogers, and Dudley Williams—480(L)
Of Ch_3SiF_3, H. T. Minden, J. M. Mays, and B. P. Dailey—347(A)
Double-bond character of molecules, J. H. Goldstein and J. K. Bragg—347(A)
Fine structure of He^+, Willis E. Lamb, Jr. and Miriam Skinner—539
Of HCN, transitions between l-type doublets, R. G. Shulman and C. H. Townes—347(A)
Of ND_3, absorption of millimeter waves, J. H. N. Loubser and J. A. Klein—348(A)
Of NO, line width determination, Robert Beringer and J. G. Castle, Jr.—340(A)
Of NO_2, electron spin, K. B. McAfee, Jr.—340(A)
Of POF_3, Samuel J. Senatore—293(L)
Of PCl_3, molecular structure, P. Kisliuk and C. H. Townes—347(A)
Pressure shift and broadening, A. G. Rouse, A. V. Bushkovitch, L. C. Jones, C. A. Potter, and W. F. Sullivan—347(A)
In region two to three mm, O. R. Gilliam, Charles M. Johnson, and Walter Gordy—140
Spectra, molecular (see also **Molecular structure and constants**)
Of ammonium nitrate and thallous nitrate, infra-red, Ralph S. Halford and Roger Newman—348(A)
Of Br_2, Raman, H. Stammreich—79(L)
Of HDO near 3.7μ in solar spectrum, R. M. Chapman and J. H. Shaw—71(L)
l-type doubling in OCS and HCN, H. H. Nielsen—296(L)
Of NH_3 and ND_3, infra-red, D. F. Hornig and F. P. Reding—348(A)
Of NO, theory of magnetic resonance, Henry Margenau and Allan Henry—587
N_2O bands in solar spectrum, Robert R. McMath, A. Keith Pierce, Orren C. Mohler, Leo Goldberg, and Russell A. Donovan—65(L)
Of telluric CO_2, $3\nu_3$-band in solar spectrum, Leo Goldberg, Orren C. Mohler, A. Keith Pierce, and Robert R. McMath—74(L)
Spectra, nuclear (see **Nuclear spectra**)
Superconductivity (see **Electrical conductivity and resistance**)
Supersonics (see also **Shock waves**)
Refraction effect along boundary layer of flat plate, G. P. Wachtell—333(A)

Terrestrial magnetism
Effect of compressibility of the earth, C. Truesdell—823(L)
Thermal conductivity
Of Cu and Sn at low temperature, F. A. Andrews, D. A. Spohr, and R. T. Webber—342(A)
Of metals at high temperature, C. L. Hogan and R. B. Sawyer—350(A)
Temperature distribution, moving medium, Boris Podolsky—187(A)
Transient heat propagation in composite material, Herbert A. Elion—350(A)
Thermal expansion
In Ag halides, A. W. Lawson—185(L)
Thermionic emission; Emitting surfaces
Of (Ba-Sr)O cathodes, conduction and emission, F. K. du Pré, R. A. Hutner, and E. S. Rittner—355(A), 573
Base-metal effects in thoria-coated filaments, Herbert Nelson—353(A)
Cathode behavior in fluorescent lamps, E. F. Lowry, E. L. Mager, and H. H. Homer—355(A)
Ceramic heaters and cathodes, T. R. Palumbo—356(A)
Conductivity and contact potential difference, William J. Price—354(A)
Diode studies of oxide-coated cathodes, H. E. Kern and R. T. Lynch—355(A)
Disappearance of thoria from coated filaments, E. Shapiro—352(A)
Emissivity changes of thoria-coated W filaments, O. A. Weinreich—337(A)
Of Mg-Ni base of an oxide cathode, Ralph Forman and Glenn F. Rouse—355(A)
From magnetron cathodes, magnetron operation, Robert L. Jepsen—354(A)
Methods for calculations, H. F. Ivey and C. L. Shackelford—356(A)
From oxide cathodes, J. A. Burton, H. E. Kern, and R. T. Lynch—355(A)
From oxide cathodes, performance, Thomas H. Briggs—356(A)
From oxide-coated cathodes, decay and recovery of pulsed emission, R. M. Matheson and L. S. Nergaard—355(A); "Figure of merit" and "quality ratio," C. D. Richard, Jr.—356(A); Impurities in Ni core metal, Harold Jacobs, George Hees, and Walter Crossley—356(A); Life tests, J. O. McNally—356(A)
From Pt, effect of impurities, A. Ertel—353(A)
Polycrystalline tungsten wires, M. H. Nichols—158
Refractory compounds as sources of electrons, D. L. Goldwater and R. E. Haddad—353(A)
Of rhenium, Roberto Levi and George A. Espersen—231
Spectral density of flicker noise, F. K. du Pré—615(L)
Thermoelectric power and emissivity of refractory materials, F. H. Morgan—353(A)

Thermionic emission; Emitting surfaces (continued)
Thoria cathodes in high voltage rectifier, S. T. Yanagisawa and T. H. Rogers—353(A)
Tracers for film properties, H. W. Allison and George E. Moore—354(A)
Work function of contaminated metal surfaces, P. H. Miller, Jr. and B. J. Rothlein—354(A)
Thermodynamics
Entropy of non-equilibrium systems, Richard C. Raymond —351(A)
Entropy of superfluid in pure He^4 below the λ-point, O. K. Rice—182(L)
Of He^3-He^4 solutions, O. K. Rice and Olive G. Engel—183(L)
λ-temperatures, He^3 in He^4, Olive G. Engel and O. K. Rice—55
Rectifier as a thermodynamical demon, L. Brillouin—627(L)
Specific heat discontinuity in liquid-vapor mixtures, Louis Goldstein—351(A)
Thermoelectric effects
Efficiency of couple, G. Preston Burns—327(A)
In lead telluride, Ralph Wyrick and Henry Levinstein—304(L)
Refractory thermocouples, emissivity determinations, F. H. Morgan—353(A)
Superconducting *versus* normal junctions, M. C. Steele—308(L)

Viscosity
Of liquid He^3, R. A. Buckingham and H. N. V. Temperley—482(L)

X-rays, absorption, diffraction, scattering, reflection, refraction, and polarization
Cold work and particle size broadening in diffraction lines, B. L. Averbach and B. E. Warren—644(A)
Reflection properties of bent quartz plates, erratum, D. A. Lind, W. J. West, and J. W. M. DuMond—474(L)
X-rays, emission (see also **X-rays, spectra and spectroscopy,** etc.)
Energy distribution from 19.5-Mev electrons, H. W. Koch and R. E. Carter—165
X-rays, spectra and spectroscopy, wave-length measurements (see also **X-rays, emission**)
Microscope, design and construction, Albert V. Baez and Paul Kirkpatrick—83(A)

Zeeman effect
In NO, magnetic resonance, Robert Beringer and J. G. Castle, Jr.—567; Henry Margenau and Allan Henry—587